




## **SPARE PARTS CATALOGUE**

**RUI LONG**

**(4LZ-4.0E)**

| <b>Content</b> |                                 |          |
|----------------|---------------------------------|----------|
| No.            | Description                     | Page No. |
| 1              | Header And Conveyor Spare Parts | 1-7      |
| 2              | Thresher Spare Parts            | 8-15     |
| 3              | Chassis Spare Parts             | 16-18    |
| 4              | GrainTank Spare Parts           | 19-22    |
| 5              | Other Spare Parts               | 23-26    |
| 6              | 85 Gear Box Spare Parts         | 27-30    |
| 7              | 4L88 Engine Spare Parts         | 31-36    |
| 8              | 45CC HST Spare Parts            | 37-39    |
| 9              | Standard Parts                  | 40-45    |

## 2.1m Header & Conveyor Spare Parts

|                                                                                                                                                                                                     |                                                                                                                                                                                                               |                                                                                                                                                                                                                 |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  <p><b>Reel Belt (C2700)</b><br/>Code:W2.5E-01XCP-01-18<br/>Weight(kg):0.8</p>                                     |  <p><b>Frame Assy.Header</b><br/>Code:W2.5E-01XCT-01A-01-00<br/>Size(mm):2330*730*800<br/>Weight(kg):98</p>                 |  <p><b>Header Auger Weld</b><br/>Code:W2.5E-01XC-01A-02-01-00<br/>Size(mm):L:2100 W:500 Φ:300<br/>Weight(kg):52.4</p>        |
|  <p><b>Eccentric Plate Weld</b><br/>Code:W2.5E-01M-01-05-02-00<br/>Size(mm):845*890*24<br/>Weight(kg):4.9</p>     |  <p><b>Plate Weld</b><br/>Code:W2.5E-01M-01-05-01-00<br/>Size(mm):845*890*24<br/>Weight(kg):5.3</p>                         |  <p><b>Plate Weld</b><br/>Code:W2.5E-01M-01-05-14-00<br/>Size(mm):845*890*24<br/>Weight(kg):5.3</p>                         |
|  <p><b>Reel Bar Weld(II)</b><br/>Code:W2.5E-01XCD-01-05-15-01-00<br/>Size(mm):2035*120*60<br/>Weight(kg):6.2</p> |  <p><b>Reel Bar weld(I)</b><br/>Code:W2.5E-01XCD-01-05-06-01-00<br/>Size(mm):2035*120*60<br/>Weight(kg):6.2</p>            |  <p><b>Reel Spring Teeth(Left-Handed)</b><br/>Code:W2.5E-01M-01-05-06-02<br/>Size(mm):280*85*34 Φ:6<br/>Weight(kg):0.1</p> |
|  <p><b>Shaft Weld,Middle</b><br/>Code:W2.5E-01XC-01-05-17-00<br/>Size(mm):2485*195*175<br/>Weight(kg):11.4</p>   |  <p><b>Shaft Seat Assy.Right</b><br/>Code:W2.0B-01B-01-05Q-03-00<br/>Size(mm):200*125*110 Φ:55 Φ:45<br/>Weight(kg):1.5</p> |  <p><b>Belt Pulley Weld,Reel</b><br/>Code:W2.5E-01XCP-01-05-03-00<br/>Size(mm):Φ:280 Φ:25 H:32<br/>Weight(kg):3</p>        |

## 2.1m Header & Conveyor Spare Parts


|                                                                                                                                                                                                                                                |                                                                                                                                                                                                                   |                                                                                                                                                                                                                           |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>13</p>  <p><b>Eccentric Plate, Adjusting</b><br/> Code:W2.0B-01B-01-05Q-11-00<br/> Size(mm):220*220*32 Φ:60 φ:54<br/> Weight(kg):1</p>                     | <p>14</p>  <p><b>Nylon Seat</b><br/> Code:W2.0B-01B-01-05Q-13<br/> Size(mm):65*16*45<br/> Weight(kg):0.01</p>                    | <p>15</p>  <p><b>Eccentric Roller Assy</b><br/> Code:W2.0B-01B-01-05Q-12-00<br/> Size(mm):L:55 Φ:45 φ:36<br/> Weight(kg):0.24</p>      |
| <p>16</p>  <p><b>Shaft Seat Weld, Left</b><br/> Code:W2.0B-01B-01-05Q-07-00<br/> Size(mm):Φ:285 φ:45 H:55<br/> Weight(kg):2</p>                              | <p>17</p>  <p><b>Bearing Seat, Header Auger</b><br/> Code:W2.0-01-01-02-14<br/> Size(mm):125*75*23 Φ:75<br/> Weight(kg):0.4</p>  | <p>18</p>  <p><b>Seat Weld, Adjusting</b><br/> Code:W2.5E-01M-01-02-16-00<br/> Size(mm):260*100*25<br/> Weight(kg):0.6</p>             |
| <p>19</p>  <p><b>Active Shaft Weld</b><br/> Code:W2.0-01-01-02-03-00<br/> Size(mm):L:440 Φ(upper):25 Φ(middle):30 Φ(lower):25 W:120<br/> Weight(kg):3.2</p> | <p>20</p>  <p><b>Seat, Telescopic Teeth</b><br/> Code:W2.0-01-01-02-07-01<br/> Size(mm):62*45*26 φ:25<br/> Weight(kg):0.05</p> | <p>21</p>  <p><b>Guide Sleeve, Telescopic Teeth</b><br/> Code:W2.0-01-01-02A-11<br/> Size(mm):62*45*26 φ:25<br/> Weight(kg):0.05</p> |
| <p>22</p>  <p><b>Bearing Seat CY205</b><br/> Code:CY205<br/> Size(mm):Φ:95 φ:49 H:10<br/> Weight(kg):0.09</p>                                               | <p>23</p>  <p><b>Slider, Header Auger</b><br/> Code:WD.1.4-06<br/> Size(mm):80*42*31<br/> Weight(kg):0.36</p>                  | <p>24</p>  <p><b>Eccentric Adjusting Shaft</b><br/> Code:W2.5E-01XC-01-02-13<br/> Size(mm):720*Φ25<br/> Weight(kg):2.7</p>           |



## 2.1m Header & Conveyor Spare Parts

|                                                                                                                                                                                                                              |                                                                                                                                                                                                                                            |                                                                                                                                                                                                                       |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>25</p>  <p><b>Shaft, Telescopic Teeth</b><br/>Code: W2.5Y-01M-01-02-05<br/>Size(mm): 1128*Φ25<br/>Weight(kg): 4.4</p>                    | <p>26</p>  <p><b>Arm Radial A</b><br/>Code: W2.0-01-01-02-04<br/>Size(mm): L:125 W:26 Φ(big):66 Φ(big):52 Φ(small):40 Φ(small):20<br/>Weight(kg): 0.5</p> | <p>27</p>  <p><b>Rod, Telescopic Teeth</b><br/>Code: W2.0-01-01-02A-07-02<br/>Size(mm): 220*Φ15<br/>Weight(kg): 0.2</p>            |
| <p>28</p>  <p><b>Chain Wheel Weld</b><br/>Code: W2.5E-01B-01-02D-03-00<br/>Size(mm): Φ:220 φ:100 H:35 Teeth:29;52<br/>Weight(kg): 2.45</p> | <p>29</p>  <p><b>Arm Radial</b><br/>Code: W.1.4-06<br/>Size(mm): 110*45*30 Φ:25<br/>Weight(kg): 0.39</p>                                                  | <p>30</p>  <p><b>Spring, Header Clutch Return</b><br/>Code: WL7B-07-05-15<br/>Size(mm): 125*Φ30 Knots:13<br/>Weight(kg): 0.15</p> |
| <p>31</p>  <p><b>Nylon SleeveB</b><br/>Code: W2.5E-01B-01-22<br/>Size(mm): 60*30*50<br/>Weight(kg): 0.01</p>                              | <p>32</p>  <p><b>Nylon SleeveA</b><br/>Code: W2.5E-01B-01-21<br/>Size(mm): 50*25*40<br/>Weight(kg): 0.01</p>                                            | <p>33</p>  <p><b>Tension Pulley Assy</b><br/>Code: W2.5E-01B-01-15-00<br/>Size(mm): 85*Φ70<br/>Weight(kg): 0.32</p>              |
| <p>34</p>  <p><b>Tension Pulley Assy</b><br/>Code: W2.5E-01B-01-11-00<br/>Size(mm): 65*Φ70<br/>Weight(kg): 0.32</p>                       | <p>35</p>  <p><b>Chain</b><br/>Code: 08B-1×118<br/>Joints: 118<br/>Weight(kg): 1</p>                                                                    | <p>36</p>  <p><b>Chain</b><br/>Code: 08B-1×98<br/>Joints: 98<br/>Weight(kg): 0.9</p>                                             |

## 2.1m Header & Conveyor Spare Parts

|                                                                                                                                                                                                                                  |                                                                                                                                                                                               |                                                                                                                                                                                                                              |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  <p><b>Conveyor Teeth, Left</b><br/>Code: W2.0-01-01-03G-18<br/>Size(mm): 135*70*2<br/>Weight(kg): 0.29</p>                                     |  <p><b>Conveyor Teeth, Right</b><br/>Code: W2.5E-01XC-01-03-01<br/>Size(mm): 1280*70*2<br/>Weight(kg): 1</p> |  <p><b>Blade Guide B</b><br/>Code: W2.0-01-01-03G-04<br/>Size(mm): 155*105*40<br/>Weight(kg): 0.55</p>                                    |
|  <p><b>Cutter Bar Assy, Blade Fixed</b><br/>Code: W2.5E-01XC-01-03-03-00<br/>Size(mm): 2275*115*45 Blades: 28±0.5±0.5<br/>Weight(kg): 5.92</p> |  <p><b>Bar, Blade Fixed</b><br/>Code: W2.5E-01XC-01-03-02<br/>Size(mm): 2305*40*40<br/>Weight(kg): 6</p>    |  <p><b>Blade Guide C</b><br/>Code: W2.0-01-01-03G-05<br/>Size(mm): 172*155*40<br/>Weight(kg): 1</p>                                      |
|  <p><b>Cleaning Blade</b><br/>Code: W2.0-01-01-03-03-03<br/>Size(mm): 85*42*2<br/>Weight(kg): 0.04</p>                                        |  <p><b>Rivet</b><br/>Code: 5*24<br/>Size(mm): Φ5<br/>Weight(kg): 0.01</p>                                  |  <p><b>Blade</b><br/>Code: W2.0-01-01-03G-03-05<br/>Size(mm): 85*75*1.8<br/>Weight(kg): 0.07</p>                                        |
|  <p><b>Friction Plate</b><br/>Code: W2.0-01-01-03G-06<br/>Size(mm): 70*35*2<br/>Weight(kg): 0.06</p>                                          |  <p><b>Friction Plate</b><br/>Code: W2.0-01-01-03G-08<br/>Size(mm): 105*35*2<br/>Weight(kg): 0.09</p>      |  <p><b>Reel Pulley Assy, Speed Changing</b><br/>Code: W2.5E-01XCP-01-04A-01-00<br/>Size(mm): Φ: 150 φ: 22 H: 40<br/>Weight(kg): 1.6</p> |

## 2.1m Header & Conveyor Spare Parts

|                                                                                                                                                                                                                   |                                                                                                                                                                                                           |                                                                                                                                                                                                                                  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>49</p>  <p><b>Shaft Weld, Frame</b><br/>Code:W2.5E-01XC-01-04-04-00<br/>Size(mm):L:2205 Φ:30<br/>Weight(kg):6.25</p>          | <p>50</p>  <p><b>Spring</b><br/>Code:W3.5-01AC-01-04-09<br/>Size(mm):65*Φ30 Knots:8<br/>Weight(kg):0.05</p>              | <p>51</p>  <p><b>Chain Wheel Weld</b><br/>Code:W2.5E-01B-01-04-11-00<br/>Size(mm):40*Φ230<br/>Weight(kg):2</p>                                |
| <p>52</p>  <p><b>Belt Pulley</b><br/>Code:W2.5E-01XCP-01-04-01-02<br/>Size(mm):Φ:150 Φ:35 H:36<br/>Weight(kg):1</p>             | <p>53</p>  <p><b>Tension wheel</b><br/>Code:W2.5E-01XCP-01-04-08-01<br/>Size(mm):Φ:95 Φ:45 H:36<br/>Weight(kg):0.15</p> | <p>54</p>  <p><b>Tension Arm Weld</b><br/>Code:W3.5-01AC-01-04-08-01-00<br/>Size(mm):175*105*60 Φ:20<br/>Weight(kg):0.65</p>                  |
| <p>55</p>  <p><b>Rotary Axis</b><br/>Code:W2.5E-01B-01-04-08A-02<br/>Size(mm):110*Φ20<br/>Weight(kg):0.12</p>                  | <p>56</p>  <p><b>Bearing</b><br/>Code:W2.0-01-01-07-05-00<br/>Size(mm):105*55*25 Φ:20<br/>Weight(kg):0.45</p>          | <p>57</p>  <p><b>Upper Connecting Rod Weld</b><br/>Code:W2.0-01-01-07-06-00<br/>Size(mm):L:755 Φ(upper):70 Φ(lower):30<br/>Weight(kg):2</p> |
| <p>58</p>  <p><b>Upper Cutter Swing Lever</b><br/>Code:W2.0-01-01-07-01-02<br/>Size(mm):160*135*60 Φ:45<br/>Weight(kg):1.2</p> | <p>59</p>  <p><b>Pin Shaft</b><br/>Code:W2.0-01-01-07-01-09<br/>Size(mm):70*Φ13<br/>Weight(kg):0.07</p>                | <p>60</p>  <p><b>Mandrel</b><br/>Code:W2.0-01-01-07-01-03<br/>Size(mm):L:70 Φ:20 Φ:10<br/>Weight(kg):0.06</p>                               |



## 2.1m Header & Conveyor Spare Parts



|                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                    |                                                                                                                                                                                                                             |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  <p><b>Pendulum Shaft</b><br/>Code:W2.0-01-01-07-01-01<br/>Size(mm):L:135 Φ(upper):15 Φ(middle):20 Φ(lower):15<br/>Weight(kg):0.25</p>                            |  <p><b>Eccentric Crank Weld</b><br/>Code:W2.5E-01B-01-07-02-02A-00<br/>Size(mm):120*105*105 Teeth:23<br/>Weight(kg):2</p>         |  <p><b>Pendulum Shaft</b><br/>Code:W2.5E-01B-01-07-02-05A<br/>Size(mm):L:275 Φ(upper):28 Φ(middle):35 Φ(lower):30<br/>Weight(kg):1.8</p> |
|  <p><b>Nylon Tension Wheel</b><br/>Code:WD.1F.33-02<br/>Size(mm):Φ:65 φ:47 H:32<br/>Weight(kg):0.05</p>                                                          |  <p><b>Conveyor Weld</b><br/>Code:W2.5E-01XCT-02-01-00<br/>Size(mm):L:1600 W(max):1180 W(shell):550 H:560<br/>Weight(kg):90.5</p> |  <p><b>Belt, Conveyor (SB3020)</b><br/>Code:W2.5E-01XC-02-11<br/>Weight(kg):0.6</p>                                                      |
|  <p><b>Conveyor Chain Assy</b><br/>Code:W2.5E-01B-02-09-00<br/>Size(mm):3030*455 Plates:19<br/>Weight(kg):26.8</p>                                              |  <p><b>Conveyor Chain</b><br/>Code:W2.5E-01B-02-09B-01 (2060-80)<br/>Size(mm):3020*70*25<br/>Weight(kg):4.7</p>                 |  <p><b>Shaft Sleeve</b><br/>Code:W2.5E-01B-02-40<br/>Size(mm):40*Φ80<br/>Weight(kg):0.1</p>                                            |
|  <p><b>Chain Wheel, Conveyor</b><br/>Code:W2.5E-01B-02-04Y<br/>Size(mm):Φ(upper&amp;lower):60 φ(upper&amp;lower):40 Φ:170 H:55 Teeth:13<br/>Weight(kg):2.35</p> |  <p><b>Belt Pulley, Upper Shaft</b><br/>Code:W2.5E-01B-02-32<br/>Size(mm):Φ:330 φ:40 H:55<br/>Weight(kg):5.5</p>                |  <p><b>Sleeve Weld</b><br/>Code:W2.5E-01B-02-06A-00<br/>Size(mm):L:3216 Φ:130 H:80<br/>Weight(kg):1.25</p>                             |

## 2.1m Header & Conveyor Spare Parts

|                                                                                                                                                                                                                                   |                                                                                                                                                                                                                               |                                                                                                                                                                                                                  |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><b>73</b></p>  <p><b>Upper Shaft</b><br/>Code:W2.5E-01B-02-05Y<br/>Size(mm):L:910 Φ(upper):16 Φ(lower):16 Φ(middle):40<br/>Weight(kg):7.5</p> | <p><b>74</b></p>  <p><b>Spring</b><br/>Code:W2.0-01-02-05-01<br/>Size(mm):124*Φ30 Knots:15<br/>Weight(kg):0.16</p>                           | <p><b>75</b></p>  <p><b>Short Shaft</b><br/>Code:W2.5E-01B-02Y-02-04A<br/>Size(mm):L:88 W:35 Φ:24<br/>Weight(kg):0.2</p>      |
| <p><b>76</b></p>  <p><b>Hanging Plate</b><br/>Code:W2.5E-01B-02Y-09-03<br/>Size(mm):L:455 W:45 H:25<br/>Weight(kg):1</p>                        | <p><b>77</b></p>  <p><b>Adjust Bolt Welding</b><br/>Code:W2.5E-01B-02Y-02-03-00<br/>Size(mm):L:150 Φ(upper):25 Φ:12<br/>Weight(kg):0.14</p> | <p><b>78</b></p>  <p><b>Arm Weld</b><br/>Code:W2.5E-01B-02-02-01-00<br/>Size(mm):L:400 Φ:205 W:40 H:45<br/>Weight(kg):1.5</p> |
| <p><b>79</b></p>  <p><b>Passive Wheel Shaft</b><br/>Code:W2.5E-01B-02-02-02-02<br/>Size(mm):465*Φ28<br/>Weight(kg):2</p>                       | <p><b>80</b></p>  <p><b>Passive Wheel</b><br/>Code:W2.5E-01B-02-02-03-00<br/>Size(mm):405*Φ195<br/>Weight(kg):10.5</p>                     |                                                                                                                                                                                                                  |




## Thresher Spare Parts

|                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>1</p>  <p><b>Thresher Cover Weld</b><br/>Code:W2.5K-02HBF-07-01-00<br/>Size(mm):2125*890*300<br/>Weight(kg):69.5</p>                        | <p>2</p>  <p><b>Thresher Components</b><br/>Code:W2.5K-02S-02-00-00<br/>Size(mm):2050*Φ620<br/>Weight(kg):78.9</p>                                      | <p>3</p>  <p><b>Threshing Rack Weld</b><br/>Code:W2.5K-02HC-01-00<br/>Size(mm):2350*1220*1250<br/>Weight(kg):220</p>                                                        |
| <p>4</p>  <p><b>Rear Concave Screen Weld</b><br/>Code:W2.5-02G-01-06A-00<br/>Size(mm):755*630*130<br/>Weight(kg):14.4</p>                     | <p>5</p>  <p><b>Front Concave Screen Weld</b><br/>Code:W2.5-02G-01-04A-00<br/>Size(mm):755*630*130<br/>Weight(kg):14.4</p>                             | <p>6</p>  <p><b>Feeding Auger</b><br/>Code:W2.5K-02S-02-02-00B-00<br/>Size(mm):Φ(upper):485 Φ(upper):325<br/>Φ(lower):460 Φ(lower):108 W:600 H:275<br/>Weight(kg):18.8</p> |
| <p>7</p>  <p><b>Rack Weld B</b><br/>Code:W2.5K-02S-02-04-00A<br/>Size(mm):L:1690 W:140 Φ:30 Teeth width(mm):75 Teeth:25<br/>Weight(kg):7</p> | <p>8</p>  <p><b>Rack Weld A</b><br/>Code:W2.5K-02S-02-03-00A<br/>Size(mm):L:1690 W:140 Φ:30 Teeth width(mm):7 Teeth:12<br/>Weight(kg):6</p>           | <p>9</p>  <p><b>Shaft Weld</b><br/>Code:W2.5K-02S-02-01-00A<br/>Size(mm):L:2050 Φ(side):445 Φ(middle):60<br/>Weight(kg):31.8</p>                                          |
| <p>10</p>  <p><b>Front Panel Weld</b><br/>Code:W2.5-02-01-02-05-00<br/>Size(mm):Φ:470 Φ:56 H:27<br/>Weight(kg):3.5</p>                       | <p>11</p>  <p><b>Bearing Block, Rear</b><br/>Code:W2.5-02-01-02-12<br/>Size(mm):L:118 Φ(upper):93 Φ(upper):80 Φ(lower):43 H:40<br/>Weight(kg):1.3</p> | <p>12</p>  <p><b>Vibrating Screen Assy</b><br/>Code:W3.5H-02HA-13-01-00<br/>Size(mm):1610*840*315<br/>Weight(kg):73.5</p>                                                 |

## Thresher Spare Parts


|                                                                                                                                                                                                                             |                                                                                                                                                                                                                                |                                                                                                                                                                                                                                     |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><b>13</b></p>  <p><b>Sieve Assy, Upper A</b><br/>Code:W3.5H-02HA-13-01-02-00<br/>Size(mm):780*380*130<br/>Weight(kg):4.95</p>           | <p><b>14</b></p>  <p><b>Upper Sieve Assy B</b><br/>Code:W3.5H-02HA-13-01-10-00<br/>Size(mm):760*380*68<br/>Weight(kg):5.6</p>                 | <p><b>15</b></p>  <p><b>Sieve Weld, Rear</b><br/>Code:W2.5K-02HG-13-01-41-0<br/>Size(mm):765*300*65<br/>Weight(kg):1.45</p>                      |
| <p><b>16</b></p>  <p><b>Shaft, Driving Vibrating Screen</b><br/>Code:W2.5-02B-02-13-02-01<br/>Size(mm):L:1000 Φ:28<br/>Weight(kg):4.4</p> | <p><b>17</b></p>  <p><b>Belt Pulley, Vibrating Sieve</b><br/>Code:W2.5K-02HB-13-02-07-00<br/>Size(mm):Φ:230 Φ:24 H:40<br/>Weight(kg):1.5</p> | <p><b>18</b></p>  <p><b>Grain Lifting Chain</b><br/>Code:W2.5K-02PB-10A-15<br/>Joints:42<br/>Weight(kg):0.4</p>                                  |
| <p><b>19</b></p>  <p><b>Guide Plate (Shake Screen)</b><br/>Code:W2.5-02-02-02<br/>Size(mm):115*100*25<br/>Weight(kg):0.43</p>            | <p><b>20</b></p>  <p><b>Frame Weld, Fan</b><br/>Code:W2.5-02B-02-05-07-00<br/>Size(mm):520*280*280 Φ:60<br/>Weight(kg):6</p>                | <p><b>21</b></p>  <p><b>Fan Shaft</b><br/>Code:W2.5P-02-02-05-01<br/>Size(mm):L:1150 Φ(middle):40 Φ(upper&amp;lower):15<br/>Weight(kg):9.5</p> |
| <p><b>22</b></p>  <p><b>Belt Pulley, Fan</b><br/>Code:W2.5C-02-02-05-06A<br/>Size(mm):Φ:270 Φ:50 H:90<br/>Weight(kg):8.75</p>            | <p><b>23</b></p>  <p><b>Blade, Fan</b><br/>Code:W2.5K-02HX-05-08<br/>Size(mm):805*120*20<br/>Weight(kg):0.9</p>                             | <p><b>24</b></p>  <p><b>Belt Pulley</b><br/>Code:W2.5-02B-02-05-16<br/>Size(mm):Φ:200 Φ:55 H:80<br/>Weight(kg):4.5</p>                         |

## Thresher Spare Parts

|                                                                                                                                                                                                                          |                                                                                                                                                                                                                               |                                                                                                                                                                                                                                      |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>25</p>  <p><b>Driven Bevel Gear</b><br/>Code:W2.5-02A-01-17-10<br/>Size(mm):Φ:140 φ:32 H:30 Teeth:29<br/>Weight(kg):1.9</p>          | <p>26</p>  <p><b>Active Bevel Gear</b><br/>Code:W2.5-02A-01-17-06<br/>Size(mm):Φ:92 φ:42 H:34 Teeth:19 Spine:30<br/>Weight(kg):0.8</p>       | <p>27</p>  <p><b>Pulley, Auxiliary</b><br/>Code:W2.5K-02P-01A-17-04<br/>Size(mm):Φ:26 φ(lower):40 H(lower):55 H:(upper):50<br/>Weight(kg):7.6</p> |
| <p>28</p>  <p><b>Driven Bevel Gear</b><br/>Code:W2.5-02S-01-17-07<br/>Size(mm):Φ:92 φ:32 H:30 Teeth:19 Spine:26<br/>Weight(kg):0.9</p> | <p>29</p>  <p><b>Driven Shaft</b><br/>Code:W2.5-02S-01-17-09<br/>Size(mm):L:280 Φ(upper&amp;lower):35 Φ(middle):50<br/>Weight(kg):2.8</p>   | <p>30</p>  <p><b>Housing Weld, Impurity Lifting Auger</b><br/>Code:W3.5H-02HB-11B-01-01-00<br/>Size(mm):L:910 W:175 Φ:100<br/>Weight(kg):8.1</p> |
| <p>31</p>  <p><b>Auger Weld, Impurity</b><br/>Code:W3.5H-02-11-01-07-00<br/>Size(mm):L:935 W:117 Φ:95 φ:25<br/>Weight(kg):5.9</p>     | <p>32</p>  <p><b>Bearing Seat (II)</b><br/>Code:W2.5-02-02-11-04<br/>Size(mm):60*90*90 Φ:63 φ(upper):51 φ(lower):55<br/>Weight(kg):0.6</p> | <p>33</p>  <p><b>Belt Pulley, Impurity</b><br/>Code:W2.5K-02HB-11-05<br/>Size(mm):40*Φ180 φ:20<br/>Weight(kg):1.3</p>                           |
| <p>34</p>  <p><b>Chain, Impurity Auger</b><br/>Code:W2.5-02-02-11-06 (415S-1-48)<br/>Joints:48<br/>Weight(kg):0.35</p>                | <p>35</p>  <p><b>13 Chain Wheel II</b><br/>Code:W2.0-02-11-10<br/>Size(mm):Φ:60 φ:12 H:32 Teeth:13<br/>Weight(kg):0.1</p>                  | <p>36</p>  <p><b>14 Chain Wheel</b><br/>Code:W2.0-02-11-07<br/>Size(mm):Φ:62 φ:20 H:26 Teeth:14<br/>Weight(kg):0.1</p>                          |



## Thresher Spare Parts

|                                                                                                                                                                                                            |                                                                                                                                                                                                     |                                                                                                                                                                                                                                                   |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  <p><b>Bearing Seat (#2 argue)</b><br/>Code:WD-150A-03A.05.10-03<br/>Size(mm):95*95*22<br/>Weight(kg):0.35</p>            |  <p><b>Impurity Gearbox</b><br/>Code:W2.5-02-02-11-01-09-00<br/>Size(mm):160*110*90<br/>Weight(kg):1.4</p>         |  <p><b>Input Shaft</b><br/>Code:WD-150A-03A.05.10.01-01<br/>Size(mm):L:155 Φ(upper&amp;lower):15 Φ(middle):25<br/>Weight(kg):0.29</p>                          |
|  <p><b>Bevel Gear</b><br/>Code:WD-150-03.05.10.01-03<br/>Size(mm):Φ:40 φ:15 H:15 Teeth:16<br/>Weight(kg):0.1</p>         |  <p><b>Bevel Gear</b><br/>Code:WD-150-03.05.10.01-04<br/>Size(mm):Φ:40 φ:15 H:24 Teeth:16<br/>Weight(kg):0.12</p> |  <p><b>Housing Weld, Re-threshing</b><br/>Code:W3.5H-02HB-11-03-01-00<br/>Size(mm):W:335 Φ:275 φ:250 H:140<br/>Weight(kg):3.5</p>                             |
|  <p><b>Inner Plate, Re-thresher</b><br/>Code:W3.5H-02HB-11-03-03<br/>Size(mm):260*225*100<br/>Weight(kg):0.5</p>        |  <p><b>Cover Weld, Observe</b><br/>Code:W3.5H-02HB-11-03-02-00<br/>Size(mm):L:258 W:117<br/>Weight(kg):1.2</p>   |  <p><b>Horizontal Auger Weld, Grain</b><br/>Code:W2.5A-02B-02-10-02-00<br/>Size(mm):L:1215 H:115 Φ(upper):20 Φ(middle):30 Φ(lower):25<br/>Weight(kg):8.1</p> |
|  <p><b>Grain Horizontal Bearing Seat</b><br/>Code:W2.5P-02-02-10-07<br/>Size(mm):Φ:64 φ:44 H:70<br/>Weight(kg):0.65</p> |  <p><b>Belt Pulley, Grain Auger</b><br/>Code:W2.5K-02HB-10-06<br/>Size(mm):32.5*Φ:245<br/>Weight(kg):2.15</p>    |  <p><b>Tension Pulley Combination</b><br/>Code:W2.5K-02HB-56-28A-01-00<br/>Size(mm):35*Φ:125<br/>Weight(kg):0.8</p>                                          |



## Thresher Spare Parts

|                                                                                                                                                                                                                                       |                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                     |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>49</p>  <p><b>Tension Arm Weld</b><br/>Code:W2.5K-02HB-10-05-01-00<br/>Size(mm):265*195*45 φ:52<br/>Weight(kg):1.1</p>                            | <p>50</p>  <p><b>Tension Spring (threshing)</b><br/>Code:W2.5-02-02-10-08A<br/>Size(mm):L:140 W:40 Φ:30 Knots:18<br/>Weight(kg):0.3</p> | <p>51</p>  <p><b>Horizontal Auger Assy, Impurity</b><br/>Code:W3.5H-02-11-02-01-00<br/>Size(mm):L:1110 W:170 Φ:95 φ:25<br/>Weight(kg):8.2</p>                                    |
| <p>52</p>  <p><b>Plate I</b><br/>Code:W3.5H-02-11A-02-02<br/>Size(mm):99*70.5*5<br/>Weight(kg):0.2</p>                                              | <p>53</p>  <p><b>Plate II</b><br/>Code:W3.5H-02-11A-02-03<br/>Size(mm):100*70*4<br/>Weight(kg):0.25</p>                                | <p>54</p>  <p><b>Vertical Lifting Auger Weld, Grain</b><br/>Code:W2.5K-02HBF-10-01-03-00<br/>Size(mm):L:1602 W:120 Φ(upper):20 Φ(middle):35 Φ(lower):20<br/>Weight(kg):10.3</p> |
| <p>55</p>  <p><b>Housing Weld, Vertical Lifting Auger</b><br/>Code:W2.5K-02HBF-10-01-02-00<br/>Size(mm):L:1420 W:508 Φ:150<br/>Weight(kg):14.9</p> | <p>56</p>  <p><b>Wearing Plate</b><br/>Code:W2.5K-02PX-10-01-04<br/>Size(mm):400*115*1<br/>Weight(kg):0.3</p>                         | <p>57</p>  <p><b>Gearbox Assy</b><br/>Code:L1.8A-03-02-03-00<br/>Size(mm):185*130*110<br/>Weight(kg):3</p>                                                                     |
| <p>58</p>  <p><b>Tension Chain Wheel Combination</b><br/>Code:L1.8A-03-02-04-00<br/>Size(mm):Φ:60 H:55 Teeth:14<br/>Weight(kg):0.5</p>             | <p>59</p>  <p><b>Chain Wheel (15)</b><br/>Code:L1.8A-03-02-03-01<br/>Size(mm):Φ:65 φ:24 H:30 Teeth:15<br/>Weight(kg):0.3</p>          | <p>60</p>  <p><b>Driving Chain Wheel (17 Teeth)</b><br/>Code:L1.8A-03-02-01-04A<br/>Size(mm):Φ:74 φ:22.5 H:30 Teeth:17<br/>Weight(kg):0.3</p>                                  |

## Thresher Spare Parts

|                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                   |                                                                                                                                                                                                                                           |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><b>61</b></p>  <p><b>Tension Chain Wheel</b><br/>Code:L1.8A-03-02-04-03<br/>Size(mm):Φ(lower):60 φ(lower):22 φ(upper):34 H:19 Teeth:14<br/>Weight(kg):0.3</p> | <p><b>62</b></p>  <p><b>Bevel Gear</b><br/>Code:L1.8A-03-04-03-05<br/>Size(mm):Φ60 φ24 H:28 Teeth:20<br/>Weight(kg):0.3</p>      | <p><b>63</b></p>  <p><b>Shaft, Chain Wheel</b><br/>Code:L1.8A-03-04-03-03<br/>Size(mm):L:110 Φ(lower&amp;upper):24 Φ(middle):30<br/>Weight(kg):0.4</p> |
| <p><b>64</b></p>  <p><b>Bevel Gear</b><br/>Code:W2.5-02G-02-10-01-04<br/>Size(mm):Φ:64 φ:20 H:50 Teeth:20<br/>Weight(kg):0.3</p>                                | <p><b>65</b></p>  <p><b>Main Clutch Tension Assy</b><br/>Code:W2.5C-02-02-22C-00<br/>Size(mm):330*130*130<br/>Weight(kg):4.7</p> | <p><b>66</b></p>  <p><b>Main Clutch Tension Wheel</b><br/>Code:W2.5C-02-02-22C-01<br/>Size(mm):90*Φ125<br/>Weight(kg):1.7</p>                         |
| <p><b>67</b></p>  <p><b>Left Pull Plate Weld</b><br/>Code:W2.5C-02-02-22C-07-00<br/>Size(mm):300*90*30<br/>Weight(kg):0.45</p>                                 | <p><b>68</b></p>  <p><b>Arm Weld, Left</b><br/>Code:W2.5C-02-02-22C-04-00<br/>Size(mm):250*75*23<br/>Weight(kg):0.55</p>       | <p><b>69</b></p>  <p><b>Arm Weld, Right</b><br/>Code:W2.5C-02-02-22C-05-00<br/>Size(mm):250*75*115<br/>Weight(kg):0.67</p>                           |
| <p><b>70</b></p>  <p><b>Shaft</b><br/>Code:W2.5C-02-02-22C-06<br/>Size(mm):91*Φ20<br/>Weight(kg):0.2</p>                                                       | <p><b>71</b></p>  <p><b>Right Pull Plate Weld</b><br/>Code:W2.5C-02-02-22C-08-00<br/>Size(mm):305*91*30<br/>Weight(kg):0.4</p> | <p><b>72</b></p>  <p><b>Grain Bottom Plate Weld</b><br/>Code:W2.5K-02PC-06-00<br/>Size(mm):730*160*30<br/>Weight(kg):2</p>                           |

## Thresher Spare Parts

|                                                                                                                                                                                                          |                                                                                                                                                                                                                                         |                                                                                                                                                                                                |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  <p><b>Impurity Seat</b><br/>Code:W2.5-02-02-07<br/>Size(mm):730*145*30<br/>Weight(kg):1.76</p>                         |  <p><b>Square Four-Way Weld</b><br/>Code:W2.5K-02PB-10A-01-01-00<br/>Size(mm):270*255*205 Φ(big):140 Φ(middle):135 Φ(small):120<br/>Weight(kg):4.6</p> |  <p><b>Belt Pulley</b><br/>Code:W3.5H-02HA-12-02<br/>Size(mm):Φ:120 φ:46 H:60<br/>Weight(kg):1.8</p>        |
|  <p><b>Spring (Rocking)</b><br/>Code:W2.5K-02HB-12-09<br/>Size(mm):170*Φ20 Knots:15<br/>Weight(kg):0.05</p>             |  <p><b>Tension Frame Weld</b><br/>Code:W2.5K-02HB-12-03-00<br/>Size(mm):195*50*35<br/>Weight(kg):0.4</p>                                               |  <p><b>Wind Shield Combination</b><br/>Code:W2.5K-02HX-11-00<br/>Size(mm):460*170*15<br/>Weight(kg):1</p>   |
|  <p><b>Tension Bolt</b><br/>Code:W2.5K-02S-09-01<br/>Size(mm):195*Φ8<br/>Weight(kg):0.08</p>                          |  <p><b>Tension Pulley Assy</b><br/>Code:W2.5K-02SA-09A-01A-00<br/>Size(mm):65*Φ:120<br/>Weight(kg):1.4</p>                                           |  <p><b>Tension Arm Weld</b><br/>Code:W2.5K-02SA-09B-02-00<br/>Size(mm):225*110*40<br/>Weight(kg):0.85</p> |
|  <p><b>Tension Wheel Combination</b><br/>Code:W2.5-02B-01G-17-18-01-00<br/>Size(mm):265*185*85<br/>Weight(kg):1.5</p> |  <p><b>Spring</b><br/>Code:W2.5-02-01-10-03<br/>Size(mm):107*Φ:16 Knots:38<br/>Weight(kg):0.03</p>                                                   |  <p><b>Belt, ActiveTransmission, Fan (4SB1490)</b><br/>Code:W2.5C-02-02-05-10A<br/>Weight(kg):1.15</p>    |

## Thresher Spare Parts

|                                                                                                                                                                                                |                                                                                                                                                                                              |                                                                                                                                                                                 |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>85</p>  <p><b>Fan-gearbox C-belt (C2508)</b><br/>Code:W3.5-02-36<br/>Weight(kg):0.8</p>                    | <p>86</p>  <p><b>Fan-Auger-Transition Drive Belt (C3259)</b><br/>Code:W2.5K-02HB-36<br/>Weight(kg):1.05</p> | <p>87</p>  <p><b>Reverse SB Belt (SB1195)</b><br/>Code:W2.5-02S-01-38<br/>Weight(kg):0.2</p> |
| <p>88</p>  <p><b>Gearbox- Upper Shaft 2HB Belt (2HB1490)</b><br/>Code:W2.5-02S-01A-37<br/>Weight(kg):0.7</p> |                                                                                                                                                                                              |                                                                                                                                                                                 |




## Chassis Spare Parts

|                                                                                                                                                                                                     |                                                                                                                                                                                                |                                                                                                                                                                                                     |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  <p><b>Track</b><br/>Code:W3.5H-03Q-44<br/>Size(mm):500*90*51<br/>Weight(kg):149</p>                               |  <p><b>Chassis Weld</b><br/>Code:W2.5H-03QA-01-00<br/>Size(mm):3080*2100*970<br/>Weight(kg):685</p>           |  <p><b>Gearbox Assy</b><br/>Code:W3.5H-03A-02-05-00<br/>Size(mm):1380*340*600<br/>Weight(kg):139</p>             |
|  <p><b>Guide Rail Weld, Front</b><br/>Code:W2.5D-03-32-00<br/>Size(mm):595*35*55 H(rail):30<br/>Weight(kg):4.7</p> |  <p><b>Guide Rail Weld, Rear</b><br/>Code:WD.4FE.33<br/>Size(mm):640*45*55 H(rail):30<br/>Weight(kg):4.4</p> |  <p><b>Support Roller Weld</b><br/>Code:W2.5DX-03C-06-01-00<br/>Size(mm):Φ:185 φ:65 H:80<br/>Weight(kg):2.7</p> |
|  <p><b>Shaft</b><br/>Code:WD.4MC.32-06<br/>Size(mm):L:295 Φ:30 φ:10<br/>Weight(kg):0.7</p>                       |  <p><b>Oil Seal Assy</b><br/>Code:W1.8-33-06-04-00A<br/>Size(mm):Φ:70 φ:40 H:14<br/>Weight(kg):0.3</p>      |  <p><b>Spacer</b><br/>Code:W2.5DX-03C-06-05-00<br/>Size(mm):20*Φ30 φ:25<br/>Weight(kg):0.05</p>                |
|  <p><b>Outer Cover</b><br/>Code:W2.5DX-03C-06-10<br/>Size(mm):Φ:71 φ:29 H:4<br/>Weight(kg):0.11</p>              |  <p><b>Spacer</b><br/>Code:W1.8-33-06-02<br/>Size(mm):Φ:32 φ:20 H:5<br/>Weight(kg):0.01</p>                 |  <p><b>Cover</b><br/>Code:W2.5DX-03C-06-03-00<br/>Size(mm):30*Φ65<br/>Weight(kg):0.06</p>                      |

## Chassis Spare Parts

|                                                                                                                                                                                                                 |                                                                                                                                                                                                                    |                                                                                                                                                                                                                                    |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>13</p>  <p><b>Balance Roller Weld</b><br/>Code:W2.5DX-03C-07-01-00<br/>Size(mm):Φ:140 H:85 H(wheel):40<br/>Weight(kg):2</p> | <p>14</p>  <p><b>Tension Wheel</b><br/>Code:WD.4MC.27-01<br/>Size(mm):Φ:280 φ:70 H:120 Wheel Height(mm):50<br/>Weight(kg):8.7</p> | <p>15</p>  <p><b>Adjusting Screw</b><br/>Code:WD.4FE.27-03<br/>Size(mm):L:335 H:45 Φ:23<br/>Weight(kg):0.8</p>                                  |
| <p>16</p>  <p><b>Tension Frame Weld</b><br/>Code:W5.0-03X-27-02-00<br/>Size(mm):550*145*95<br/>Weight(kg):8.05</p>            | <p>17</p>  <p><b>Limit Plate Weld</b><br/>Code:WD.4FE.27.1<br/>Size(mm):67*47*36 φ:24<br/>Weight(kg):0.3</p>                     | <p>18</p>  <p><b>Tension Shaft</b><br/>Code:W2.5DA-03B-27-08<br/>Size(mm):L:200 Φ(upper&amp;lower):14 Φ(middle):30<br/>Weight(kg):0.8</p>      |
| <p>19</p>  <p><b>Spacer</b><br/>Code:L18X.4.27-03<br/>Size(mm):Φ:42 φ:30 H:30<br/>Weight(kg):0.07</p>                        | <p>20</p>  <p><b>Cover</b><br/>Code:L18X.4.29-02<br/>Size(mm):Φ:85 φ:30 H:8.5<br/>Weight(kg):0.16</p>                           | <p>21</p>  <p><b>Oil Seal Combination</b><br/>Code:W2.5DA-03H-27-06-00B<br/>Size(mm):Φ:78 φ:29 H:18<br/>Weight(kg):0.15</p>                   |
| <p>22</p>  <p><b>Limit Plate</b><br/>Code:WD.4FE.27-04<br/>Size(mm):56*50*3<br/>Weight(kg):0.05</p>                          | <p>23</p>  <p><b>Hold Roller Weld</b><br/>Code:WD.4ME.28.1<br/>Size(mm):Φ:145 φ:62 H:80<br/>Weight(kg):2.1</p>                  | <p>24</p>  <p><b>Driving Chain Wheel</b><br/>Code:WD.4MC.2-01C<br/>Size(mm):Φ:250 φ:42 Teeth:8 Teeth width(mm):36 H:60<br/>Weight(kg):6.1</p> |

## Chassis Spare Parts

|                                                                                                                                                                                                                                                |                                                                                                                                                                                                                   |                                                                                                                                                                                                                                      |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><b>25</b></p>  <p><b>Tension Pulley Assy</b><br/>Code:W2.5K-02SA-09A-01A-00<br/>Size(mm):Φ:120 φ:40 H:66<br/>Weight(kg):1.4</p>                            | <p><b>26</b></p>  <p><b>Plate Weld</b><br/>Code:W2.5DA-03H-17C-08-00<br/>Size(mm):285*115*35<br/>Weight(kg):0.75</p>             | <p><b>27</b></p>  <p><b>Rod Weld</b><br/>Code:W2.5DA-03H-17A-06-00<br/>Size(mm):L:240 W:35 Φ:11<br/>Weight(kg):0.2</p>                            |
| <p><b>28</b></p>  <p><b>Tension Arm Weld</b><br/>Code:W3.5H-03B-17-01-00<br/>Size(mm):210*53*130 Φ(upper):20 Φ(lower):55 φ(lower):45<br/>Weight(kg):0.95</p> | <p><b>29</b></p>  <p><b>Spring</b><br/>Code:W2.5DA-03H-17A-05A<br/>Size(mm):80*Φ32 Knots:10<br/>Weight(kg):0.15</p>              | <p><b>30</b></p>  <p><b>Nylon Sleeve</b><br/>Code:W2.5DA-03H-17B-10<br/>Size(mm):L:56 W:33 Φ(upper):22 Φ(lower):17 φ:12<br/>Weight(kg):0.01</p>  |
| <p><b>31</b></p>  <p><b>Tension Shaft</b><br/>Code:W2.5D-03-10-02<br/>Size(mm): L:115 Φ(upper):20 φ(upper):30 Φ(lower):15<br/>Weight(kg):0.25</p>           | <p><b>32</b></p>  <p><b>Belt Pulley</b><br/>Code:W2.5C-03D-10-06<br/>Size(mm):Φ:138 φ:30 H:65<br/>Weight(kg):2.95</p>          | <p><b>33</b></p>  <p><b>Spline Shaft</b><br/>Code:W2.5C-03D-10-05<br/>Size(mm):L:193 Φ(upper):30 Φ(lower):25 Splines:18<br/>Weight(kg):1.15</p> |
| <p><b>34</b></p>  <p><b>Special Gasket</b><br/>Code:W2.5C-03D-02-06<br/>Size(mm):Φ:28 φ:12 H:3<br/>Weight(kg):0.05</p>                                      | <p><b>35</b></p>  <p><b>Flange</b><br/>Code:W2.5C-03D-10-04<br/>Size(mm):L:185 φ(upper):71 φ(lower):55<br/>Weight(kg):2.75</p> | <p><b>36</b></p>  <p><b>Joint Belt, Walking (9J-5-1605)</b><br/>Code:W2.5DA-03H-31<br/>Weight(kg):0.85</p>                                      |



## Grain Tank Spare Parts


|                                                                                                                                                                                                                      |                                                                                                                                                                                                                      |                                                                                                                                                                                                                  |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  <p><b>Grain Tank Weld</b><br/>Code:W2.5F-04D-01-00<br/>Size(mm):Size(mm):1510*960*1640 (Tank:1200*960*1540)<br/>Weight(kg):104</p> |  <p><b>Grain Unloading Auger A</b><br/>Code:W2.5B-04BX-04-01-00<br/>Size(mm):1985*Φ165 Φ:60<br/>Weight(kg):13.4</p>                 |  <p><b>Grain Unloading Auger B</b><br/>Code:W2.5B-04BX-04B-02-00<br/>Size(mm):1735*Φ165 Φ:60<br/>Weight(kg):10.05</p>         |
|  <p><b>Grain Unloading Auger Housing Weld A</b><br/>Code:W2.5B-04BX-04D-03-00B<br/>Size(mm):1815*Φ180<br/>Weight(kg):26.4</p>      |  <p><b>Grain Unloading Auger Housing Weld B</b><br/>Code:W2.5F-04A-04B-04-00<br/>Size(mm):1725*335*185 Φ:185<br/>Weight(kg):19</p> |  <p><b>Upper Box A</b><br/>Code:W2.5B-04BX-03-02-01<br/>Size(mm):φ(big):270 φ(small):175 360*330*250<br/>Weight(kg):16.2</p> |
|  <p><b>Upper Box B</b><br/>Code:W2.5B-04BX-03-01-01<br/>Size(mm):360*280*390 Φ1(side):340 Φ2(side):260<br/>Weight(kg):19.5</p>    |  <p><b>Middle Short Auger Weld</b><br/>Code:W2.5B-04BX-03-03-00<br/>Size(mm):230*255*255<br/>Weight(kg):2.95</p>                  |  <p><b>Bevel Gear</b><br/>Code:W2.5B-04BX-11-01-03<br/>Size(mm):Φ60 φ:20 H:35 Teeth:15<br/>Weight(kg):0.35</p>              |
|  <p><b>Belt (C1850)</b><br/>Code:W2.5B-04-32<br/>Weight(kg):0.65</p>                                                              |  <p><b>Chain</b><br/>Code:10A-40<br/>Joints:40<br/>Weight(kg):0.6</p>                                                             |  <p><b>Lifting Auger Weld</b><br/>Code:W2.5B-04BX-02H-02-00<br/>Size(mm):L:1685 W:165 Φ:22<br/>Weight(kg):11.55</p>         |



## Grain Tank Spare Parts

|                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>13</p>  <p><b>Lifting Auger Housing Weld</b><br/>Code:W2.5B-04BX-02HB-01-00<br/>Size(mm):L:1250 Φ:260 φ:176<br/>Weight(kg):18.45</p>               | <p>14</p>  <p><b>Square Cross</b><br/>Code:W2.5B-04HX-02A-04-00C<br/>Size(mm):390*360*260 φ(big):190 φ(middle):135 φ(small):72<br/>Weight(kg):14.4</p> | <p>15</p>  <p><b>Gear Box</b><br/>Code:W2.5B-04BX-02H-05-01<br/>Size(mm):138*125*110 φ(lower):63.5 φ(left side):60 φ(right side):69<br/>Weight(kg):1.85</p> |
| <p>16</p>  <p><b>Chain Wheel 10A×15</b><br/>Code:W2.5B-04HX-02A-07<br/>Size(mm):Φ:84 φ:20 H:30 Teeth:15<br/>Weight(kg):0.35</p>                      | <p>17</p>  <p><b>Transmission Shaft</b><br/>Code:W2.5B-04BX-02H-05-02<br/>Size(mm):L:185 Φ(middle):25 Φ(upper&amp;lower):21<br/>Weight(kg):0.63</p>   | <p>18</p>  <p><b>Bevel Gear</b><br/>Code:W2.5B-04HX-02A-05-03<br/>Size(mm):Φ(upper):60 φ(upper):20 φ(lower):30 H:36 Teeth:15<br/>Weight(kg):0.33</p>       |
| <p>19</p>  <p><b>Spacer</b><br/>Code:W2.5B-04BX-02H-05-03<br/>Size(mm):Φ(upper):32 φ(upper):24 Φ(lower):34 φ(lower):24 H:32<br/>Weight(kg):0.05</p> | <p>20</p>  <p><b>Driving Gear</b><br/>Code:W2.5B-04BX-12-06<br/>Size(mm):Φ:58 φ:19 H:31 Teeth:12 Tooth width(mm):20<br/>Weight(kg):0.3</p>           | <p>21</p>  <p><b>Chain Box Weld</b><br/>Code:W2.5B-04HX-22A-01-00<br/>Size(mm):L:355 W:255 φ(upper&amp;lower):50 H:70<br/>Weight(kg):2.4</p>              |
| <p>22</p>  <p><b>Chain Cover</b><br/>Code:W2.5B-04HX-22A-02<br/>Size(mm):340*190*18<br/>Weight(kg):0.45</p>                                         | <p>23</p>  <p><b>Small Bevel Gear</b><br/>Code:W2.5B-04-10-06<br/>Size(mm):Φ:65 φ:20 H:30 Teeth:20<br/>Weight(kg):0.25</p>                           | <p>24</p>  <p><b>Belt Pulley Weld</b><br/>Code:W2.5B-04HX-17B-04-00<br/>Size(mm):Φ:220 φ:22 H:45<br/>Weight(kg):1.9</p>                                   |

## Grain Tank Spare Parts

|                                                                                                                                                                                                           |                                                                                                                                                                                                                       |                                                                                                                                                                                                                            |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>25</p>  <p><b>Bearing Block</b><br/>Code:W2.5B-04-10-04<br/>Size(mm):Φ:85 Φ:52 H:30<br/>Weight(kg):0.64</p>           | <p>26</p>  <p><b>Big Bevel Gear</b><br/>Code:W2.5B-04-10-02<br/>Size(mm):Φ:122 Φ:20 H:35 Teeth:40<br/>Weight(kg):0.6</p>             | <p>27</p>  <p><b>Gear Shaft</b><br/>Code:W2.5B-04HX-17B-03<br/>Size(mm):L:235 Φ(upper):25 Φ(middle):29 Φ(lower):23<br/>Weight(kg):1</p> |
| <p>28</p>  <p><b>Cover Weld</b><br/>Code:W2.5F-04A-21-01-00<br/>Size(mm):1040*135*130<br/>Weight(kg):4</p>              | <p>29</p>  <p><b>Eccentric Sleeve</b><br/>Code:W2.5B-04CD-05-02<br/>Size(mm):L:41 Φ:35 Φ:21<br/>Weight(kg):0.2</p>                  | <p>30</p>  <p><b>Spring, Grain Unloading</b><br/>Code:W2.5B-04CY-12B-03B<br/>Size(mm):L:130 W:43 Φ:30 knots:13<br/>Weight(kg):0.18</p> |
| <p>31</p>  <p><b>Connecting Rod, Lower</b><br/>Code:W2.5B-04CY-12B-02B<br/>Size(mm):745*Φ8<br/>Weight(kg):0.3</p>      | <p>32</p>  <p><b>Handle Rod Assy, Grain Unloading</b><br/>Code:W2.5B-04CY-12B-01-00<br/>Size(mm):250*130*80<br/>Weight(kg):0.5</p> | <p>33</p>  <p><b>Tension Arm Weld</b><br/>Code:W2.5B-04CM-02-02-01-00A<br/>Size(mm):300*80*90<br/>Weight(kg):1.05</p>                 |
| <p>34</p>  <p><b>Tension Wheel Riveted</b><br/>Code:W2.5B-04CM-02-02-03-00<br/>Size(mm):45*Φ115<br/>Weight(kg):0.4</p> | <p>35</p>  <p><b>Bearing(1620)</b><br/>Code:W2.5-02G-02-32-02<br/>Size(mm):12*Φ23<br/>Weight(kg):0.01</p>                          | <p>36</p>  <p><b>Grain Unloading Auger Weld</b><br/>Code:W2.5F-04A-11-01-00<br/>Size(mm):L:1410 W:135 Φ:22<br/>Weight(kg):9.5</p>     |

## Grain Tank Spare Parts

| 37                                                                                                                                                                                                                                                |  |  |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|
|  <p> <b>Chain Wheel 10A×22</b><br/>           Code:W2.5B-04HX-11-02<br/>           Size(mm):Φ:120 φ:22 H:30 Teeth:22<br/>           Weight(kg):0.65         </p> |  |  |

## Other Spare Parts

|                                                                                                                                                                                              |                                                                                                                                                                                              |                                                                                                                                                                                                                       |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  <p><b>Air Filter</b><br/>Code:K35C9<br/>Size(mm):Φ:200 φ:100 H:390<br/>Weight(kg):1.45</p>                 |  <p><b>HST Filter</b><br/>Code:W2.5M-05M-18-01-X<br/>Size(mm):170*Φ65<br/>Weight(kg):0.3</p>               |  <p><b>Switch</b><br/>Code:T500-S<br/>Size(mm):60*30*10<br/>Weight(kg):0.05</p>                                                    |
|  <p><b>Spherical Plain Bearing</b><br/>Code:SQ10C-RS<br/>Size(mm):57*48*32<br/>Weight(kg):0.04</p>         |  <p><b>Sensor, Auger Speed</b><br/>Code:WD-150-07.03.01<br/>Size(mm):280*85*55<br/>Weight(kg):0.25</p>     |  <p><b>Filter</b><br/>Code:WD.4FE.8-02<br/>Size(mm):Φ:70 φ:58 H:180<br/>Weight(kg):0.02</p>                                       |
|  <p><b>Cylinder, Header</b><br/>Code:W2.5X-05D-02-00M<br/>Size(mm):L:590 Φ:45 φ:28<br/>Weight(kg):5.7</p> |  <p><b>Cylinder, Header</b><br/>Code:W2.5X-05D-01-00M<br/>Size(mm):L:590 Φ:54 φ:35<br/>Weight(kg):8.4</p> |  <p><b>HST Oil Filter</b><br/>Code:W2.5M-05M-18-01<br/>Size(mm):294*130*115<br/>Weight(kg):3.2</p>                               |
|  <p><b>Breaking Wire</b><br/>Code:W2.5H-07-03-04-00<br/>Size(mm):900*Φ8<br/>Weight(kg):0.5</p>            |  <p><b>Cylinder, Reel</b><br/>Code:W2.5F-05-10-00B<br/>Size(mm):L:250 Φ:40 φ:25<br/>Weight(kg):1.6</p>    |  <p><b>Cylinder, Grain Unloading</b><br/>Code:W2.5DD-05GX-02-00ED<br/>Size(mm):L:330 W:90 Φ(cylinder):50<br/>Weight(kg):6.25</p> |



## Other Spare Parts

|                                                                                                                                                                                                            |                                                                                                                                                                                               |                                                                                                                                                                                                     |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  <p><b>Multifunctional Slide Valve</b><br/>Code:W2.5DD-05DC-17-01C<br/>Size(mm):230*230*125<br/>Weight(kg):8.2</p>        |  <p><b>Grain Unloading Valve</b><br/>Code:W2.5DD-05DC-16-01<br/>Size(mm):185*110*78<br/>Weight(kg):3.3</p>   |  <p><b>Reel Valve</b><br/>Code:W2.5DD-05DC-15-01<br/>Size(mm):185*85*80<br/>Weight(kg):2.8</p>                   |
|  <p><b>Involute Gear Pump</b><br/>Code:W2.5DD-05DC-09-00E<br/>Size(mm):150*118*90 Φ:18 Splines:11<br/>Weight(kg):3.7</p> |  <p><b>Filter</b><br/>Code:W2.5DD-05DB-01-03A<br/>Size(mm):L:150 Φ:45 φ:25<br/>Weight(kg):0.05</p>          |  <p><b>Bearing PHSA10</b><br/>Code:W2.5DA-07E-04-21R<br/>Size(mm):L:75 Φ:30 φ:10<br/>Weight(kg):0.05</p>         |
|  <p><b>Bearing PHSA10</b><br/>Code:W2.5DA-07E-04-21L<br/>Size(mm):L:75 Φ:30 φ:10<br/>Weight(kg):0.05</p>                |  <p><b>Combination Instrument</b><br/>Code:W2.5DA-06X-G2-2A<br/>Size(mm):275*106*62<br/>Weight(kg):0.6</p> |  <p><b>Alarm, Grain Tank</b><br/>Code:W2.5DA-05-01-20-02<br/>Size(mm):260*70*40<br/>Weight(kg):0.32</p>        |
|  <p><b>Switch</b><br/>Code:T500<br/>Size(mm):60*30*15<br/>Weight(kg):0.05</p>                                           |  <p><b>Combination Switch</b><br/>Code:W2.5C-06-01-20-00<br/>Size(mm):270*122*70<br/>Weight(kg):0.15</p>   |  <p><b>Center Control Box (12V)</b><br/>Code:W2.5C-06-01-19-00<br/>Size(mm):178*122*70<br/>Weight(kg):0.45</p> |

## Other Spare Parts



|                                                                                                                                                                                                                                      |                                                                                                                                                                                       |                                                                                                                                                                                             |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  <p><b>Belt Pulley, Engine</b><br/>Code:W2.5C-03D-05G-02<br/>Size(mm)Φ(upper):160 Φ(lower):215<br/>Φ(upper):130 Φ(lower):130<br/>Weight(kg):9.9</p> |  <p><b>Throttle Wire</b><br/>Code:W2.5-07-08-05-00<br/>Size(mm):1300*Φ5<br/>Weight(kg):0.18</p>      |  <p><b>Reverse Wire</b><br/>Code:W2.5-07-05-04-00<br/>Size(mm):2500*Φ8<br/>Weight(kg):0.65</p>           |
|  <p><b>Canopy</b><br/>Code:W2.0-13-03A<br/>Size(mm):1065*860*140<br/>Weight(kg):4</p>                                                              |  <p><b>Flameout Wire</b><br/>Code:W2.0-07-02-08-00<br/>Size(mm):1350*Φ6<br/>Weight(kg):0.2</p>       |  <p><b>Sensor, Rotating Speed</b><br/>Code:W2.0-06-01-16-00<br/>Size(mm):155*Φ25<br/>Weight(kg):0.1</p> |
|  <p><b>Sensor, Water Temperature</b><br/>Code:W2.0-06-01-15-00<br/>Size(mm):45*Φ22<br/>Weight(kg):0.04</p>                                        |  <p><b>Steering Cylinder</b><br/>Code:W2.0-05-33-01<br/>Size(mm):180*128*70<br/>Weight(kg):3.2</p> |  <p><b>Reverse Horn Switch</b><br/>Code:JK635A<br/>Size(mm):300*Φ28<br/>Weight(kg):0.1</p>             |
|  <p><b>Starting Cable Assy</b><br/>Code:JK430<br/>Size(mm):480*40*40<br/>Weight(kg):0.35</p>                                                      |  <p><b>Sensor, Grain Tank</b><br/>Code:JCK-1<br/>Size(mm):300*Φ96<br/>Weight(kg):0.13</p>          |  <p><b>Horn (12V)</b><br/>Code:DL128G/DL129G<br/>Size(mm):118*90*40<br/>Weight(kg):0.22</p>            |

## Other Spare Parts

|                                                                                                                                                                                                                |                                                                                                                                                                                                           |                                                                                                                                                                                                            |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>37</p>  <p><b>Electronic Sensor, Oil Pressure</b><br/> Code:W2.0-06-01-18-00<br/> Size(mm):50*Φ24<br/> Weight(kg):0.06</p> | <p>38</p>  <p><b>Preheat Starting Relay (12V)</b><br/> Code:JD155<br/> Size(mm):250*70*50<br/> Weight(kg):0.2</p>        | <p>39</p>  <p><b>Motor module</b><br/> Code:W2.5B-04BX-12-03D-02<br/> Size(mm):160*145*45<br/> Weight(kg):0.9</p>       |
| <p>40</p>  <p><b>Radiator</b><br/> Code:W2.5DA-09KQ-02-01-00<br/> Size(mm):800*560*215<br/> Weight(kg):22.4</p>              | <p>41</p>  <p><b>Hydraulic Oil Tank</b><br/> Code:W2.5X-05A-01-01-00<br/> Size(mm):455*340*350<br/> Weight(kg):11.5</p> | <p>42</p>  <p><b>Main Power Switch</b><br/> Code:JK861<br/> Size(mm):175*110*90<br/> Weight(kg):0.35</p>               |
| <p>43</p>  <p><b>Motor</b><br/> Code:W2.5B-04BX-12-03B-01<br/> Size(mm):340*120*120<br/> Weight(kg):10.2</p>                | <p>44</p>  <p><b>Self-dusting Air Filter</b><br/> Code:K35C9-A<br/> Size(mm):470*325*640<br/> Weight(kg):8.8</p>       | <p>45</p>  <p><b>Fuel Tank Weld</b><br/> Code:W2.5DA-09KQ-03-01-00<br/> Size(mm):910*400*520<br/> Weight(kg):29.3</p> |



## 85 Gearbox Spare Parts

|                                                                                                                                                                                               |                                                                                                                                                                                                             |                                                                                                                                                                                            |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  <p><b>Right Rock Assy</b><br/>Code:ZKB40-206a-401-2-00S<br/>Size(mm):70*65*50<br/>Weight(kg):0.25</p>       |  <p><b>Friction Fork Rod</b><br/>Code:ZKB85-206-400-1-01<br/>Size(mm):230*65*30<br/>Weight(kg):0.75</p>                    |  <p><b>Bearing</b><br/>Code:KRV22<br/>Size(mm):φ:10 Φ:22 H:12<br/>Weight(kg):0.05</p>                   |
|  <p><b>Left Rock Assy</b><br/>Code:ZKB40-206a-401-1-00S<br/>Size(mm):70*65*50<br/>Weight(kg):0.25</p>        |  <p><b>Right Housing Of Gearbox</b><br/>Code:ZKB85-306-002J<br/>Size(mm):600*340*115<br/>Weight(kg):22.9</p>               |  <p><b>Speed-shifting Shaft</b><br/>Code:ZKB65-106-500-1a<br/>Size(mm):85*65*25<br/>Weight(kg):0.2</p> |
|  <p><b>Shaft Sleeve</b><br/>Code:ZKB40-106-500-02<br/>Size(mm):φ:10 Φ:15 H:20<br/>Weight(kg):0.1</p>       |  <p><b>Auxiliary Speed-shifting Fork Rocker</b><br/>Code:ZKB40-106-500-2b<br/>Size(mm):150*20*20<br/>Weight(kg):0.15</p> |  <p><b>Gear Shift Fork</b><br/>Code:ZKB60-106-500-01<br/>Size(mm):80*65*65<br/>Weight(kg):0.2</p>     |
|  <p><b>Side Shifting Fork Spring</b><br/>Code:ZKB40-106-500-03b<br/>Size(mm):23*Φ5<br/>Weight(kg):0.04</p> |  <p><b>Gear Shifter Shaft</b><br/>Code:ZKB85-106-500-04<br/>Size(mm):153*Φ12<br/>Weight(kg):0.2</p>                      |  <p><b>Housing Plate</b><br/>Code:ZKB65-306-003<br/>Size(mm):530*350*1<br/>Weight(kg):0.1</p>         |



## 85 Gearbox Spare Parts

|                                                                                                                                                                                                                    |                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                               |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  <p><b>Left Housing Of Gearbox</b><br/> Code:ZKB85-306-001J<br/> Size(mm):600*340*120<br/> Weight(kg):18.5</p>                    |  <p><b>Gear</b><br/> Code:ZKB85-307a-001<br/> Size(mm):φ23 Φ60 H:40 Teeth:17 Tooth Width(mm):22<br/> Weight(kg):0.4</p>                          |  <p><b>Header Gear</b><br/> Code:ZKB85-301a-002<br/> Size(mm):φ20 Φ80 H:18 Teeth:23 Tooth Wφth:20<br/> Weight(kg):0.5</p>                                  |
|  <p><b>Header Shaft</b><br/> Code:ZKB85-301-001<br/> Size(mm):180*Φ28<br/> Weight(kg):0.8</p>                                    |  <p><b>Speed-Shifting Gear</b><br/> Code:ZKB85-301a-003<br/> Size(mm):φ20 Φ90 H:60 Teeth:19,22,22 Tooth Width(mm):18*3<br/> Weight(kg):1.15</p> |  <p><b>Collar</b><br/> Code:ZKB60-302-005<br/> Size(mm):φ32 Φ40 H:25<br/> Weight(kg):0.1</p>                                                              |
|  <p><b>Gear I</b><br/> Code:ZKB85-302a-002<br/> Size(mm):φ30 Φ90 H:35 Teeth:28 Tooth Width(mm):16<br/> Weight(kg):0.5</p>       |  <p><b>Speed-shifting Shaft</b><br/> Code:ZKB85-302-001<br/> Size(mm):180*Φ28<br/> Weight(kg):0.11</p>                                         |  <p><b>Gear III</b><br/> Code:ZKB60-302a-004<br/> Size(mm):φ31 Φ70 H:35 Teeth:19 Tooth Width(mm):20<br/> Weight(kg):0.5</p>                              |
|  <p><b>Gear II</b><br/> Code:ZKB85-302a-003<br/> Size(mm):φ30 Φ80 H:35<br/> Teeth:25 Tooth Width(mm):16<br/> Weight(kg):0.5</p> |  <p><b>Steering Clutch Gear&amp;Shaft</b><br/> Code:ZKB85-203-100<br/> Size(mm):300*Φ135<br/> Teeth:41<br/> Weight(kg):4.1</p>                 |  <p><b>Steering Gear</b><br/> Code:ZKB80-303-002,012<br/> Upper Size(mm):φ52 Φ68<br/> Lower Size(mm):φ33 Φ76<br/> Length(mm):108<br/> Weight(kg):1.1</p> |

## 85 Gearbox Spare Parts


|                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                       |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>25</p>  <p><b>Inner Shaft Ring</b><br/>Code:ZKB80-303-006<br/>Size(mm):<math>\phi</math>40 <math>\Phi</math>50 H:2.5<br/>Weight(kg):0.01</p>                                | <p>26</p>  <p><b>Steering Spring</b><br/>Code:ZKB80-009<br/>Size(mm):95*<math>\Phi</math>45<br/>Weight(kg):0.15</p>                                     | <p>27</p>  <p><b>External Shaft Ring</b><br/>Code:ZKB80-303-005<br/>Size(mm):<math>\phi</math>40 <math>\Phi</math>50 H:2.5<br/>Weight(kg):0.01</p> |
| <p>28</p>  <p><b>Idle Wheel</b><br/>Code:ZKB80-304-1-00<br/>Size(mm):<math>\phi</math>40 <math>\Phi</math>163 H:60<br/>Teeth(Upper):16 Teeth(Lower):39<br/>Weight(kg):2.9</p> | <p>29</p>  <p><b>Sleeve</b><br/>Code:ZKB80-304-004<br/>Size(mm):<math>\phi</math>40 <math>\Phi</math>55 H:35<br/>Weight(kg):0.2</p>                     | <p>30</p>  <p><b>Idle Shaft</b><br/>Code:ZKB80-304-001<br/>Size(mm):190*<math>\phi</math>40<br/>Weight(kg):1.8</p>                                |
| <p>31</p>  <p><b>Clasp</b><br/>Code:ZKB65-303-010a<br/>Size(mm):300*<math>\Phi</math>2<br/>Weight(kg):0.01</p>                                                               | <p>32</p>  <p><b>Thrust Collar</b><br/>Code:ZKB80-303-007a<br/>Size(mm):<math>\phi</math>68 <math>\Phi</math>110 H:5<br/>Weight(kg):0.2</p>           | <p>33</p>  <p><b>Pressure Plate</b><br/>Code:ZKB75-303-009<br/>Size(mm):<math>\phi</math>80 <math>\Phi</math>120 H:3<br/>Weight(kg):0.15</p>     |
| <p>34</p>  <p><b>Inner Friction Sheet</b><br/>Code:ZKB80-303-004a<br/>Size(mm):<math>\phi</math>53 <math>\Phi</math>110 H:2<br/>Weight(kg):0.01</p>                          | <p>35</p>  <p><b>External Friction Sheet</b><br/>Code:ZKB75-303-003<br/>Size(mm):<math>\phi</math>80 <math>\Phi</math>110 H:2<br/>Weight(kg):0.04</p> | <p>36</p>  <p><b>Brake Box Gasket</b><br/>Code:ZKB65-306-010<br/>Size(mm):<math>\Phi</math>170*1<br/>Weight(kg):0.01</p>                         |

## 85 Gearbox Spare Parts

|                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                   |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>37</p>  <p><b>Brake Box Cover</b><br/>Code:ZKB80-306-009a<br/>Size(mm):Φ180*90<br/>Weight(kg):2</p>                                                                         | <p>38</p>  <p><b>Paper Gasket Of Half Shaft</b><br/>Code:ZKB65-12-01L<br/>Size(mm):Φ140*1<br/>Weight(kg):0.02</p>               | <p>39</p>  <p><b>Half Shaft Right Arm</b><br/>Code:ZKB65a-W3.5H-205-600B1G1<br/>Size(mm):φ:60 Φ:157 L:470<br/>Weight(kg):7.6</p>                                               |
| <p>40</p>  <p><b>Right Shaft</b><br/>Code:ZKB65-W3.5H-305-002<br/>Left Size(mm):Teeth:20 Φ:53<br/>Right Size(mm):Teeth:18 φ:30 Φ:50<br/>Length(mm):640<br/>Weight(kg):9.4</p> | <p>41</p>  <p><b>Gasket Of Half Shaft</b><br/>Code:ZKB65-12-14LK<br/>Size(mm):Φ155*30<br/>Weight(kg):0.8</p>                   | <p>42</p>  <p><b>Collar</b><br/>Code:ZKB65-305-008<br/>Size(mm):φ:20 Φ:60 H:10<br/>Weight(kg):0.2</p>                                                                         |
| <p>43</p>  <p><b>Driving Gear</b><br/>Code:ZKB80-305a-004<br/>Size(mm):φ:47 Φ:180 H:45<br/>Teeth:39<br/>Weight(kg):3.5</p>                                                   | <p>44</p>  <p><b>Half Shaft Left Arm</b><br/>Code:ZKB65a-W3.5H-205-500BG<br/>Size(mm):φ:60 Φ:157 L:448<br/>Weight(kg):7.1</p> | <p>45</p>  <p><b>Left Shaft</b><br/>Code:ZKB65-W3.5H-305-001<br/>Left Size(mm):Teeth:18 φ:30 Φ:50<br/>Right Size(mm):Teeth:20 Φ:53<br/>Length(mm):625<br/>Weight(kg):9.4</p> |
| <p>46</p>  <p><b>Sleeve</b><br/>Code:ZKB65-305-003a<br/>Size(mm):φ:52 Φ:60 H:20<br/>Weight(kg):0.02</p>                                                                      |                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                   |





## 4L88 Engine Spare Parts

|                                                                                                                                                                                                      |                                                                                                                                                                                                              |                                                                                                                                                                                                                  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  <p><b>Exhaust Valve</b><br/>Code:4B28TC-020007-1<br/>Size(mm):Φ(upper):40 Φ(lower):8 H:120<br/>Weight(kg):0.09</p> |  <p><b>Intake Valve</b><br/>Code:4B28TC-020008-1<br/>Size(mm):Φ(upper):42 Φ(lower):8 H:120<br/>Weight(kg):0.09</p>          |  <p><b>Valve Lifter</b><br/>Code:4G33V16-070003<br/>Size(mm):Φ(upper):15 Φ(lower):30 H:5.<br/>Weight(kg):0.09</p>             |
|  <p><b>Valve Push Rod</b><br/>Code:N85-07002A<br/>Size(mm):Φ(upper):13 Φ(lower):8 H:210<br/>Weight(kg):0.07</p>    |  <p><b>Cylinder Head Long Bolt</b><br/>Code:N85-03015-2<br/>Size(mm):Φ(upper):20 Φ(lower):10 H:125<br/>Weight(kg):0.07</p> |  <p><b>Cylinder Head Short Bolts</b><br/>Code:N85-03016-2<br/>Size(mm):Φ(upper):20 Φ(lower):10 H:115<br/>Weight(kg):0.06</p> |
|  <p><b>Cylinder Head Locating Sleeve</b><br/>Code:N85-03017<br/>Size(mm):Φ:16 Φ:13 H:15<br/>Weight(kg):0.01</p>   |  <p><b>Camshaft Blocking</b><br/>Code:4G33T-030026<br/>Size(mm):6*Φ55<br/>Weight(kg):0.02</p>                             |  <p><b>Flywheel Bolt</b><br/>Code:N85-06006H<br/>Size(mm):Φ(upper):10 Φ(lower):25 H:45<br/>Weight(kg):0.04</p>              |
|  <p><b>Crankshaft Pulley Bolt</b><br/>Code:4L88-060007A<br/>Size(mm):60*Φ55<br/>Weight(kg):0.21</p>               |  <p><b>Drain Switch</b><br/>Code:4L68-032000<br/>Size(mm):70*46*20<br/>Weight(kg):0.1</p>                                 |  <p><b>Oil Strainer</b><br/>Code:4L68-160000B<br/>Size(mm):285*176*130<br/>Weight(kg):0.56</p>                              |




## 4L88 Engine Spare Parts

|                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                   |                                                                                                                                                                                                                      |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><b>13</b></p>  <p><b>Guide Valve Spring</b><br/>Code:N85-02001-2<br/>Size(mm):Φ30 φ:10 H:10<br/>Weight(kg):0.03</p>                                | <p><b>14</b></p>  <p><b>Valve Spring</b><br/>Code:N85-02003-1/2<br/>Size(mm):1, 45*Φ30 2, 45*Φ22<br/>Weight(kg):0.07</p>                         | <p><b>15</b></p>  <p><b>Locating Sleeve Of Gear Chamber</b><br/>Code:N85-03001<br/>Size(mm):Φ:12 φ:9 H:15<br/>Weight(kg):0.01</p> |
| <p><b>16</b></p>  <p><b>Inner Skeleton Rotating Shaft Lip Seal Ring</b><br/>Code:DL85×110×12B/P<br/>Size(mm):Φ:110 φ:85 H:12<br/>Weight(kg):0.15</p> | <p><b>17</b></p>  <p><b>Inner Skeleton Rotating Shaft Lip Seal Ring</b><br/>Code:DR55×72×10<br/>Size(mm):Φ:72 φ:55 H:10<br/>Weight(kg):0.03</p> | <p><b>18</b></p>  <p><b>Gasket For Rear Oil Seal Cover</b><br/>Code:N85-03005<br/>Size(mm):205*195*1<br/>Weight(kg):0.02</p>     |
| <p><b>19</b></p>  <p><b>Oil Pan Gasket</b><br/>Code:N485Q-11001<br/>Size(mm):520*260*2<br/>Weight(kg):0.05</p>                                      | <p><b>20</b></p>  <p><b>Thermostat Shell Gasket</b><br/>Code:N85Q-17004<br/>Size(mm):116*68*1<br/>Weight(kg):0.01</p>                          | <p><b>21</b></p>  <p><b>Intake Pipe Gasket</b><br/>Code:ZN490QA-02005<br/>Size(mm):418*65*1<br/>Weight(kg):0.02</p>             |
| <p><b>22</b></p>  <p><b>Gear Chamber Gasket</b><br/>Code:4L88-120001<br/>Size(mm):260*260*1<br/>Weight(kg):0.03</p>                                 | <p><b>23</b></p>  <p><b>Advancer Cover Gasket</b><br/>Code:4L88-120006<br/>Size(mm):Φ:164 φ:130 H:1<br/>Weight(kg):0.02</p>                    | <p><b>24</b></p>  <p><b>All Gasket</b><br/>Code:4L88<br/>Size(mm):520*260*2<br/>Weight(kg):0.9</p>                              |

## 4L88 Engine Spare Parts

|                                                                                                                                                                                                                             |                                                                                                                                                                                                                                            |                                                                                                                                                                                                                              |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>25</p>  <p><b>Cylinder Head Gasket</b><br/>Code:4L88-030013D<br/>Size(mm):465*180*1.5<br/>Weight(kg):0.15</p>                           | <p>26</p>  <p><b>Turbocharger Oil Inlet Pipe Parts</b><br/>Code:4L88-342000H<br/>Size(mm):465*Φ11<br/>Weight(kg):0.18</p>                                 | <p>27</p>  <p><b>Turbocharger Oil Return Pipe Parts</b><br/>Code:4L88-343000H<br/>Size(mm):478*58*Φ20<br/>Weight(kg):0.4</p>              |
| <p>28</p>  <p><b>Exhaust Pipe</b><br/>Code:4L88-100001F<br/>Size(mm):378*120*65<br/>Weight(kg):3.42</p>                                   | <p>29</p>  <p><b>Oil Return Pipe</b><br/>Code:4L88-150002<br/>Size(mm):Φ:10 φ:5 H:260<br/>Weight(kg):0.02</p>                                            | <p>30</p>  <p><b>Machine Filter Inlet And Outlet Pipe Parts</b><br/>Code:4L88-262000A-1<br/>Size(mm):385*300*115<br/>Weight(kg):0.76</p> |
| <p>31</p>  <p><b>Respirator Oil Outlet Pipe Connection</b><br/>Code:4L88-190007<br/>Size(mm):225*Φ18<br/>Weight(kg):0.05</p>             | <p>32</p>  <p><b>High Pressure Tubing Assy</b><br/>Code:4B26<br/>Weight(kg):0.6</p>                                                                     | <p>33</p>  <p><b>Oil Pump Gear</b><br/>Code:4B28V16-130007<br/>Size(mm):15*Φ80 Teeth Height(mm):8<br/>Weight(kg):0.2</p>                |
| <p>34</p>  <p><b>Camshaft Timing Gear</b><br/>Code:4L88-040007A<br/>Size(mm):Φ:125 φ:35 H:30 Teeth:56 H(Teeth):16<br/>Weight(kg):0.8</p> | <p>35</p>  <p><b>Hydraulic Pump Gear</b><br/>Code:N85T-04011D<br/>Size(mm):Φ:35 φ:18 H:60 Spline:11 Teeth:28 Tooth width(mm):15<br/>Weight(kg):0.63</p> | <p>36</p>  <p><b>Fuel Pump Timing Gear</b><br/>Code:4L88-040001A<br/>Size(mm):Φ:125 φ:50 H:20 Teeth:56<br/>Weight(kg):0.8</p>           |

## 4L88 Engine Spare Parts

|                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                   |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>37</p>  <p><b>Crankshaft Timing Gear</b><br/>           Code:4L88-040006A<br/>           Size(mm):Φ(upper):55 φ(upper):36<br/>           Φ(lower):55 φ(lower):36 H:32 Teeth:28 Tooth width(mm):20<br/>           Weight(kg):0.3</p> | <p>38</p>  <p><b>Oil Pump Driving Gear</b><br/>           Code:4B28V16-040010<br/>           Size(mm):Φ:90 φ:40 H:8 Teeth:37<br/>           Weight(kg):0.21</p> | <p>39</p>  <p><b>Timing Idler Gear</b><br/>           Code:4L88-040005A<br/>           Size(mm):Φ:115 φ:45 H:22 Teeth:53 Tooth width(mm):18<br/>           Weight(kg):0.94</p> |
| <p>40</p>  <p><b>Connecting Rod Parts</b><br/>           Code:4L88-052000<br/>           Size(mm):225*90*35 φ(big):57 φ(small):27<br/>           Weight(kg):1.2</p>                                                                   | <p>41</p>  <p><b>Water Pump</b><br/>           Code:4L88-082000B-1<br/>           Size(mm):250*135*150<br/>           Weight(kg):3.7</p>                       | <p>42</p>  <p><b>Injector Parts</b><br/>           Code:4L88-251000A<br/>           Size(mm):145*60*43<br/>           Weight(kg):0.2</p>                                      |
| <p>43</p>  <p><b>Crankshaft</b><br/>           Code:4L88-060004<br/>           Size(mm):595*170*130 Φ:40<br/>           Weight(kg):24</p>                                                                                            | <p>44</p>  <p><b>Supercharger</b><br/>           Code:4L88-341000ZZ<br/>           Size(mm):200*165*160<br/>           Weight(kg):4.9</p>                     | <p>45</p>  <p><b>Camshaft</b><br/>           Code:4G33V16-070001B<br/>           Size(mm):490*Φ45<br/>           Weight(kg):4</p>                                            |
| <p>46</p>  <p><b>Oil Pan Welded Parts</b><br/>           Code:4L88-111000G<br/>           Size(mm):525*340*210<br/>           Weight(kg):5.5</p>                                                                                     | <p>47</p>  <p><b>Fuel Injection Pump</b><br/>           Code:4L88-180001Y<br/>           Size(mm):310*220*160<br/>           Weight(kg):7</p>                 | <p>48</p>  <p><b>Oil Pump Parts</b><br/>           Code:4B28V16-131000<br/>           Size(mm):95*85*80<br/>           Weight(kg):1.33</p>                                   |



## 4L88 Engine Spare Parts

|                                                                                                                                                                                                                    |                                                                                                                                                                                                                               |                                                                                                                                                                                                                      |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>49</p>  <p><b>Crankshaft Pulley</b><br/>Code:4L88-060001M<br/>Size(mm):Φ:160 φ:35 H:85<br/>Weight(kg):4.17</p>                 | <p>50</p>  <p><b>Cooling Fan</b><br/>Code:CZ4102Q-080020<br/>Size(mm):50*Φ470<br/>Weight(kg):1.15</p>                                        | <p>51</p>  <p><b>Starter Assembly</b><br/>Code:4G33-300000C<br/>Size(mm):270*200*100<br/>Weight(kg):7.15</p>                      |
| <p>52</p>  <p><b>Exhaust Pipe Gasket</b><br/>Code:4L88-020006<br/>Size(mm):75*46*1<br/>Weight(kg):0.01</p>                       | <p>53</p>  <p><b>Cylinder Head</b><br/>Code:4L88-021000<br/>Size(mm):465*185*85<br/>Weight(kg):23.6</p>                                      | <p>54</p>  <p><b>Piston Cooling Nozzle</b><br/>Code:4L88-033000A<br/>Size(mm):1, 80*25*20 2, 28*Φ20<br/>Weight(kg):0.04,0.04</p> |
| <p>55</p>  <p><b>Alternator</b><br/>Code:4G33TC-290000C<br/>Size(mm):200*140*175<br/>Weight(kg):6.14</p>                        | <p>56</p>  <p><b>Crankshaft Thrust Piece (Kit)</b><br/>Code:4B28V16-030010&amp;4B28V16-030009<br/>Size(mm):92*40*30<br/>Weight(kg):0.1</p> | <p>57</p>  <p><b>Connecting Rod Bearing Kit</b><br/>Code:4L88-053000<br/>Size(mm):25*60*30<br/>Weight(kg):0.03*2</p>            |
| <p>58</p>  <p><b>Main Bearing (Kit)</b><br/>Code:4L88-030006&amp;4L88-030008<br/>Size(mm):L:76 W:38 H:23<br/>Weight(kg):0.1</p> | <p>59</p>  <p><b>Five Supporting</b><br/>Code:4L88<br/>Size(mm):/<br/>Weight(kg):8.8</p>                                                   | <p>60</p>  <p><b>Piston</b><br/>Code:4L88-050001<br/>Size(mm):Φ:98 φ(side):22 H:82<br/>Weight(kg):0.68</p>                      |




## 4L88 Engine Spare Parts

|                                                                                                                                                                                                                              |                                                                                                                                                                                           |                                                                                                                                                                                              |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  <p><b>Piston Ring Kit</b><br/> Code:4L88-050000A<br/> Size(mm):1,Φ:100 φ:92 H:3 2,Φ:100 φ:92 H:3 3,Φ:100 φ:92 H:2<br/> Weight(kg):0.05</p> |  <p><b>Piston Pin</b><br/> Code:N85-05004<br/> Size(mm):Φ:28 φ:12 H:73<br/> Weight(kg):0.26</p>          |  <p><b>Cylinder Liner</b><br/> Code:4L88-030003<br/> Size(mm):Φ:100 φ:96 H:165<br/> Weight(kg):0.78</p>   |
|  <p><b>Diesel Oil Pre-Filter Assy(Electron Pump)</b><br/> Code:4G33TC-280000W<br/> Size(mm):310*165*125<br/> Weight(kg):2.8</p>             |  <p><b>Diesel Oil Filter (New)</b><br/> Code:4G33TC-281000W<br/> Size(mm):220*Φ110<br/> Weight(kg):1</p> |  <p><b>Diesel Oil Pre-filter</b><br/> Code:4G33TC-281000V<br/> Size(mm):190*Φ96<br/> Weight(kg):0.65</p> |
|  <p><b>Oil Filter</b><br/> Code:4L88-261100A<br/> Size(mm):100*Φ96<br/> Weight(kg):0.55</p>                                               |  <p><b>Diesel Filter</b><br/> Code:N485-28100<br/> Size(mm):Φ:70 φ:35 H:86<br/> Weight(kg):0.08</p>    |  <p><b>Fuel Filter Assembly</b><br/> Code:N485-28000<br/> Size(mm):170*150*100<br/> Weight(kg):0.83</p> |
|  <p><b>Engine</b><br/> Code:4L88-2019013<br/> Size(mm):690*630*650<br/> Weight(kg):280</p>                                                |                                                                                                                                                                                           |                                                                                                                                                                                              |

## 45CC HST Spare Parts

| HST INPUT ASSY                                                                      |                                                                                     |                                                                                      |                                                                                       |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 1                                                                                   | 2                                                                                   | 3                                                                                    | 4                                                                                     |
|    |    |    |    |
| <b>Needle Bearing</b>                                                               | <b>Oil Seal</b>                                                                     | <b>Shaft(pump)</b>                                                                   | <b>Ring 25</b>                                                                        |
| Code:25*33*30                                                                       | Code:25*35*6                                                                        | Code:WHST40-04B                                                                      | Code:φ25                                                                              |
| Size(mm):Φ:33 φ:25 H:30                                                             | Size(mm):Φ:35 φ:25 H:6                                                              | Size(mm):Φ(lower):20 Φ(upper):24 H:230                                               | Size(mm):Φ:25 H:2                                                                     |
| Weight(kg):0.15 1 piece/set                                                         | Weight(kg):0.02 1 piece/set                                                         | Spline: 18                                                                           | Weight(kg):0.01 1 piece/set                                                           |
| Weight(kg):0.15 1 piece/set                                                         | Weight(kg):0.02 1 piece/set                                                         | Weight(kg):0.9 1 piece/set                                                           | Weight(kg):0.01 1 piece/set                                                           |
| HST OUTPUT ASSY                                                                     |                                                                                     |                                                                                      |                                                                                       |
| 1                                                                                   | 2                                                                                   | 3                                                                                    | 4                                                                                     |
|    |    |    |    |
| <b>Needle Bearing</b>                                                               | <b>Oil Seal</b>                                                                     | <b>Shaft(motor) (Old Type)</b>                                                       | <b>Ring 30</b>                                                                        |
| Code:25*33*30                                                                       | Code:25*35*6                                                                        | Code:WHST40-06B                                                                      | Code:φ30                                                                              |
| Size(mm):Φ:33 φ:25 H:30                                                             | Size(mm):Φ:35 φ:25 H:6                                                              | Size(mm):Φ(lower):30.5 Φ(upper):25 H:222.5                                           | Size(mm):Φ:30 H:2                                                                     |
| Weight(kg):0.15 1 piece/set                                                         | Weight(kg):0.02 1 piece/set                                                         | Spline: 18                                                                           | Weight(kg):0.01 1 piece/set                                                           |
| Weight(kg):0.15 1 piece/set                                                         | Weight(kg):0.02 1 piece/set                                                         | Weight(kg):0.9 1 piece/set                                                           | Weight(kg):0.01 1 piece/set                                                           |
| 5                                                                                   | 6                                                                                   | 7                                                                                    |                                                                                       |
|  |  |  |                                                                                       |
| <b>Positioning Seat</b>                                                             | <b>Shaft(motor) (New Type)</b>                                                      | <b>Positioning Seat</b>                                                              |                                                                                       |
| Code:WHST45-05                                                                      | Code:WHST40-06X                                                                     | Code:WHST40-05X                                                                      |                                                                                       |
| Size(mm):Φ:62 φ:30 H:12.5                                                           | Size(mm):Φ(lower):30.5 Φ(upper):25 H:222.5                                          | Size(mm):Φ:62 φ:30 H:9.5                                                             |                                                                                       |
| Weight(kg):0.1 1 piece/set                                                          | Spline: 18                                                                          | Weight(kg):0.06 1 piece/set                                                          |                                                                                       |
| Weight(kg):0.1 1 piece/set                                                          | Weight(kg):0.9 1 piece/set                                                          | Weight(kg):0.06 1 piece/set                                                          |                                                                                       |
| TURING ASSY (PUMP)                                                                  |                                                                                     |                                                                                      |                                                                                       |
| 1                                                                                   | 2                                                                                   | 3                                                                                    | 4                                                                                     |
|  |  |  |  |
| <b>Plunger Assembly</b>                                                             | <b>Plunger Assembly</b>                                                             | <b>Plunger Assembly</b>                                                              | <b>Pin</b>                                                                            |
| Code:WHST45-08-7                                                                    | Code:WHST45-08-4                                                                    | Code:WHST40-08-5B                                                                    | Code:WHST40-08-6                                                                      |
| Size(mm):Φ:18 H:55                                                                  | Size(mm):Φ:90 φ42 H:3                                                               | Size(mm):Φ(upper):35 Φ(lower):45 H:17                                                | Size(mm):32*Φ2                                                                        |
| Weight(kg):0.05 9 pieces/set                                                        | Weight(kg):0.45 1 piece/set                                                         | Weight(kg):0.25 1 piece/set                                                          | Weight(kg):0.02 3 pieces/set                                                          |
| 5                                                                                   | 6                                                                                   | 7                                                                                    | 8                                                                                     |
|  |  |  |  |
| <b>Housing</b>                                                                      | <b>Spring Seat</b>                                                                  | <b>Spring(Housing)</b>                                                               | <b>Ring 37</b>                                                                        |
| Code:WHST45-08-1                                                                    | Code:WHST40-08-3                                                                    | Code:WHST40-08-2                                                                     | Code:φ37                                                                              |
| Size(mm):φ(lower):36 φ(upper):25 Φ:96 H:73                                          | Size(mm):Φ:36 H:1                                                                   | Size(mm):50*Φ35                                                                      | Size(mm):Φ:37 H:2                                                                     |
| Weight(kg):1.48 1 piece/set                                                         | Weight(kg):0.02 2 pieces/set                                                        | Weight(kg):0.02 1 piece/set                                                          | Weight(kg):0.01 1 piece/set                                                           |

## 45CC HST Spare Parts

|                                                                                                                      |   |   |   |
|----------------------------------------------------------------------------------------------------------------------|---|---|---|
| 9                                                                                                                    |   |   |   |
|                                     |   |   |   |
| <b>Assignment Plate(Pump)</b><br>Code:WHST40-03<br>Size(mm):Φ90 Φ:28 H:5<br>Weight(kg):0.15 1 piece/set              |   |   |   |
| TURING ASSY (MOTOR)                                                                                                  |   |   |   |
| 1                                                                                                                    | 2 | 3 | 4 |
|                                     |   |   |   |
|                                     |   |   |   |
|                                    |   |   |   |
|                                   |   |   |   |
| <b>Plunger Assembly</b><br>Code:WHST45-08-7<br>Size(mm):Φ:18 H:55<br>Weight(kg):0.05 9 pieces/set                    |   |   |   |
| <b>Plunger Assembly</b><br>Code:WHST45-08-4<br>Size(mm):Φ:90 Φ:42 H:3<br>Weight(kg):0.45 1 piece/set                 |   |   |   |
| <b>Plunger Assembly</b><br>Code:WHST40-08-5B<br>Size(mm):Φ(upper):35 Φ(lower):45 H:17<br>Weight(kg):0.25 1 piece/set |   |   |   |
| <b>Pin</b><br>Code:WHST40-08-6<br>Size(mm):32*Φ2<br>Weight(kg):0.02 3 pieces/set                                     |   |   |   |
| 5                                                                                                                    | 6 | 7 | 8 |
|                                    |   |   |   |
|                                    |   |   |   |
|                                   |   |   |   |
|                                  |   |   |   |
| <b>Housing</b><br>Code:WHST45-08-1<br>Size(mm):Φ(lower):36 Φ(upper):25 Φ:96 H:73<br>Weight(kg):1.48 1 piece/set      |   |   |   |
| <b>Spring Seat</b><br>Code:WHST40-08-3<br>Size(mm):Φ:36 H:1<br>Weight(kg):0.02 2 pieces/set                          |   |   |   |
| <b>Spring(Housing)</b><br>Code:WHST40-08-2<br>Size(mm):50*Φ35<br>Weight(kg):0.02 1 piece/set                         |   |   |   |
| <b>Ring 37</b><br>Code:Φ37<br>Size(mm):Φ:37 H:2<br>Weight(kg):0.01 1 piece/set                                       |   |   |   |
| 9                                                                                                                    |   |   |   |
|                                   |   |   |   |
| <b>Assignment Plate(Motor)</b><br>Code:WHST40-07<br>Size(mm):Φ90 Φ:28 H:5<br>Weight(kg):0.15 1 piece/set             |   |   |   |
| CHARGE PUMP ASSY                                                                                                     |   |   |   |
| 1                                                                                                                    | 2 | 3 | 4 |
|                                   |   |   |   |
|                                   |   |   |   |
|                                  |   |   |   |
|                                 |   |   |   |
| <b>Charge Pump Housing</b><br>Code:WHST40-13A-01<br>Size:123*88*50 Φ:57<br>Weight(kg):1.5 1 piece/set                |   |   |   |
| <b>O Ring</b><br>Code:69*2.65<br>Size:2.65*Φ69<br>Weight(kg):0.02 1 piece/set                                        |   |   |   |
| <b>Charge Pump Gear (Outer)</b><br>Code:WHST40-13A-02<br>Size:Φ:60 H:16<br>Weight(kg):0.1 1 piece/set                |   |   |   |
| <b>Charge Pump Gear (Inner)</b><br>Code:WHST40-13A-03<br>Size:Φ:20 Φ:42 H:16<br>Weight(kg):0.05 1 piece/set          |   |   |   |



## 45CC HST Spare Parts

| OTHER PARTS                                                                       |                                                                                   |                                                                                    |                                                                                     |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| 1                                                                                 | 2                                                                                 | 3                                                                                  | 4                                                                                   |
|  |  |  |  |
| <b>HST</b>                                                                        | <b>Stem</b>                                                                       | <b>Charge Spring</b>                                                               | <b>Spring(Relief)</b>                                                               |
| Code:W2.0-03(R)-03B-01-00                                                         | Code:WHST40-02-2                                                                  | Code:WHST40-02-3                                                                   | Code:WHST40-02-6                                                                    |
| Size:292*280*205                                                                  | Size:16*Φ13                                                                       | Size:18*Φ12                                                                        | Size:28*Φ12                                                                         |
| Weight(kg):28                                                                     | Weight(kg):0.01 1 piece/set                                                       | Weight(kg):0.01 1 piece/set                                                        | Weight(kg):0.06 2 pieces/set                                                        |
| 5                                                                                 | 6                                                                                 | 7                                                                                  | 8                                                                                   |
|  |  |  |  |
| <b>Relief Valve Assy</b>                                                          | <b>Shoe Plate</b>                                                                 | <b>Swash Plate(m)</b>                                                              | <b>Swash Plate(p)</b>                                                               |
| Code:WHST40-02-9                                                                  | Code:WHST40-09                                                                    | Code:WHST40-10                                                                     | Code:WHST45-11                                                                      |
| Size:65*Φ18                                                                       | Size:Φ90 Φ40 H:4                                                                  | Size:Φ100 Φ45 H:45                                                                 | Size:290*113*60 Φ:105 Φ:45                                                          |
| Weight(kg):0.05 2 pieces/set                                                      | Weight(kg):0.1 2 pieces/set                                                       | Weight(kg):1.1 1 piece/set                                                         | Weight(kg):2 1 piece/set                                                            |

## Standard Parts

|                                                                                                                                                                                                           |                                                                                                                                                                                                           |                                                                                                                                                                                                             |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  <p><b>Bearing</b><br/>Code:5211<br/>Size(mm):<math>\Phi</math>55 <math>\Phi</math>100 H:33.4<br/>Weight(kg):1.2</p>     |  <p><b>Bearing</b><br/>Code:6002-2RS<br/>Size(mm):<math>\Phi</math>32 <math>\Phi</math>15 H:9<br/>Weight(kg):0.03</p>    |  <p><b>Bearing</b><br/>Code:6004<br/>Size(mm):<math>\Phi</math>20 <math>\Phi</math>42 H:12<br/>Weight(kg):0.07</p>       |
|  <p><b>Bearing</b><br/>Code:6005-2RS<br/>Size(mm):<math>\Phi</math>47 <math>\Phi</math>25 H:12<br/>Weight(kg):0.08</p>  |  <p><b>Bearing</b><br/>Code:6006-2RS<br/>Size(mm):<math>\Phi</math>55 <math>\Phi</math>30 H:13<br/>Weight(kg):0.11</p>  |  <p><b>Bearing</b><br/>Code:6007-2RS<br/>Size(mm):<math>\Phi</math>62 <math>\Phi</math>35 H:14<br/>Weight(kg):0.15</p>  |
|  <p><b>Bearing</b><br/>Code:6008-RS<br/>Size(mm):<math>\Phi</math>68 <math>\Phi</math>40 H:15<br/>Weight(kg):0.2</p>   |  <p><b>Bearing</b><br/>Code:6012-2RS<br/>Size(mm):<math>\Phi</math>95 <math>\Phi</math>60 H:18<br/>Weight(kg):0.38</p> |  <p><b>Bearing</b><br/>Code:6202-2RS<br/>Size(mm):<math>\Phi</math>35 <math>\Phi</math>15 H:11<br/>Weight(kg):0.04</p> |
|  <p><b>Bearing</b><br/>Code:6203-2RS<br/>Size(mm):<math>\Phi</math>40 <math>\Phi</math>17 H:12<br/>Weight(kg):0.07</p> |  <p><b>Bearing</b><br/>Code:6204-2RS<br/>Size(mm):<math>\Phi</math>47 <math>\Phi</math>20 H:14<br/>Weight(kg):0.1</p>  |  <p><b>Bearing</b><br/>Code:6205-2RS<br/>Size(mm):<math>\Phi</math>52 <math>\Phi</math>25 H:15<br/>Weight(kg):0.15</p> |

## Standard Parts

|                                                                                                                                                                            |                                                                                                                                                                            |                                                                                                                                                                                 |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  <p><b>Bearing</b><br/>Code:6209-2RS<br/>Size(mm):Φ85 φ:45 H:19<br/>Weight(kg):0.41</p>   |  <p><b>Bearing</b><br/>Code:6210-2RS<br/>Size(mm):Φ90 φ:50 H:20<br/>Weight(kg):0.45</p>   |  <p><b>Bearing</b><br/>Code:6301-2RS<br/>Size(mm):Φ37 φ:12 H:12<br/>Weight(kg):0.05</p>      |
|  <p><b>Bearing</b><br/>Code:6304-2RS<br/>Size(mm):Φ52 φ:20 H:15<br/>Weight(kg):0.14</p>  |  <p><b>Bearing</b><br/>Code:6305-2RS<br/>Size(mm):Φ62 φ:25 H:17<br/>Weight(kg):0.23</p>  |  <p><b>Bearing</b><br/>Code:6306-2RS<br/>Size(mm):Φ72 φ:35 H:19<br/>Weight(kg):0.34</p>     |
|  <p><b>Bearing</b><br/>Code:6307-2RS<br/>Size(mm):Φ80 φ:35 H:21<br/>Weight(kg):0.45</p> |  <p><b>Bearing</b><br/>Code:6308-2RS<br/>Size(mm):Φ90 φ:40 H:23<br/>Weight(kg):0.64</p> |  <p><b>Bearing</b><br/>Code:6310<br/>Size(mm):φ:50 Φ:110 H:27<br/>Weight(kg):1.1</p>       |
|  <p><b>Bearing</b><br/>Code:NJ2207E<br/>Size(mm):φ:35 Φ:72 H:23<br/>Weight(kg):0.41</p> |  <p><b>Bearing</b><br/>Code:NJ305E<br/>Size(mm):φ:25 Φ:62 H:17<br/>Weight(kg):0.25</p>  |  <p><b>Oil Seal</b><br/>Code:B30X45X10<br/>Size(mm):Φ:45 φ:30 H:10<br/>Weight(kg):0.02</p> |



## Standard Parts

|                                                                                                                                                                                                                          |                                                                                                                                                                                                                         |                                                                                                                                                                                                                         |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>25</p>  <p><b>Oil Seal</b><br/>Code: B38X52X12<br/>Size(mm): <math>\phi</math>52 <math>\phi</math>38 H:12<br/>Weight(kg): 0.02</p>   | <p>26</p>  <p><b>Oil Seal</b><br/>Code: FB42x20x10<br/>Size(mm): <math>\phi</math>20 <math>\phi</math>42 H:10<br/>Weight(kg): 0.02</p> | <p>27</p>  <p><b>Oil Seal</b><br/>Code: FB55x75x8<br/>Size(mm): <math>\phi</math>55 <math>\phi</math>75 H:8<br/>Weight(kg): 0.02</p> |
| <p>28</p>  <p><b>Oil Seal</b><br/>Code: MC60x90x18<br/>Size(mm): <math>\phi</math>60 <math>\phi</math>90 H:18<br/>Weight(kg): 0.01</p> | <p>29</p>  <p><b>Key</b><br/>Code: A5X25<br/>Size(mm): 25*5*5<br/>Weight(kg): 0.01</p>                                                 | <p>30</p>  <p><b>Key</b><br/>Code: A5X28<br/>Size(mm): 28*5*5<br/>Weight(kg): 0.01</p>                                               |
| <p>31</p>  <p><b>Key</b><br/>Code: A6X22<br/>Size(mm): 22*5*6<br/>Weight(kg): 0.02</p>                                                | <p>32</p>  <p><b>Key</b><br/>Code: A7X30<br/>Size(mm): 30*7*7<br/>Weight(kg): 0.03</p>                                               | <p>33</p>  <p><b>Key</b><br/>Code: A8X20<br/>Size(mm): 20*8*7<br/>Weight(kg): 0.02</p>                                             |
| <p>34</p>  <p><b>Key</b><br/>Code: A8X25<br/>Size(mm): 25*8*7<br/>Weight(kg): 0.02</p>                                                | <p>35</p>  <p><b>Key</b><br/>Code: A8X28<br/>Size(mm): 28*8*7<br/>Weight(kg): 0.02</p>                                               | <p>36</p>  <p><b>Key</b><br/>Code: A8X32<br/>Size(mm): 32*8*7<br/>Weight(kg): 0.02</p>                                             |

## Standard Parts

|                                                                                                                                                                        |                                                                                                                                                                        |                                                                                                                                                                           |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>37</p>  <p><b>Key</b><br/>Code:A8×45<br/>Size(mm):45*8*7<br/>Weight(kg):0.02</p>   | <p>38</p>  <p><b>Key</b><br/>Code:A8×50<br/>Size(mm):50*8*7<br/>Weight(kg):0.03</p>   | <p>39</p>  <p><b>Key</b><br/>Code:A10×32<br/>Size(mm):32*10**8<br/>Weight(kg):0.03</p> |
| <p>40</p>  <p><b>Key</b><br/>Code:A10X56<br/>Size(mm):56*10*8<br/>Weight(kg):0.05</p> | <p>41</p>  <p><b>Key</b><br/>Code:A12×40<br/>Size(mm):40*12*8<br/>Weight(kg):0.04</p> | <p>42</p>  <p><b>Key</b><br/>Code:C6X25<br/>Size(mm):25*6*6<br/>Weight(kg):0.02</p>    |
| <p>43</p>  <p><b>Key</b><br/>Code:C8×25<br/>Size(mm):25*8*7<br/>Weight(kg):0.02</p> | <p>44</p>  <p><b>Key</b><br/>Code:C8×28<br/>Size(mm):28*8*7<br/>Weight(kg):0.02</p> | <p>45</p>  <p><b>Key</b><br/>Code:C8X30<br/>Size(mm):30*8*7<br/>Weight(kg):0.02</p>  |
| <p>46</p>  <p><b>Key</b><br/>Code:C8×32<br/>Size(mm):32*8*7<br/>Weight(kg):0.02</p> | <p>47</p>  <p><b>Key</b><br/>Code:C8×36<br/>Size(mm):36*8*7<br/>Weight(kg):0.03</p> | <p>48</p>  <p><b>Key</b><br/>Code:C8×40<br/>Size(mm):40*8*7<br/>Weight(kg):0.03</p>  |

## Standard Parts

|                                                                                                                                                                                 |                                                                                                                                                                               |                                                                                                                                                                                 |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>49</p>  <p><b>Pin</b><br/>Code:1.6×16<br/>Size(mm):16*Φ1.6<br/>Weight(kg):0.01</p>          | <p>50</p>  <p><b>Cotter Pin</b><br/>Code:2*22<br/>Size(mm):22*Φ2<br/>Weight(kg):0.03</p>     | <p>51</p>  <p><b>Pin</b><br/>Code:2.5*20<br/>Size(mm):20*Φ:2.5<br/>Weight(kg):0.01</p>       |
| <p>52</p>  <p><b>Cotter Pin</b><br/>Code:2.5*26<br/>Size(mm):26*Φ2.5<br/>Weight(kg):0.03</p>   | <p>53</p>  <p><b>Cotter Pin</b><br/>Code:3.2*20<br/>Size(mm):20*Φ3.2<br/>Weight(kg):0.01</p> | <p>54</p>  <p><b>Cotter Pin</b><br/>Code:3.2*24<br/>Size(mm):24*Φ3.2<br/>Weight(kg):0.03</p> |
| <p>55</p>  <p><b>Cotter Pin</b><br/>Code:3.2*28<br/>Size(mm):28*Φ3.2<br/>Weight(kg):0.01</p> | <p>56</p>  <p><b>Pin</b><br/>Code:3.2*30<br/>Size(mm):30*Φ3.2<br/>Weight(kg):0.01</p>      | <p>57</p>  <p><b>Cotter Pin</b><br/>Code:5*40<br/>Size(mm):40*Φ5<br/>Weight(kg):0.02</p>   |
| <p>58</p>  <p><b>Pin Shaft</b><br/>Code:B8×26<br/>Size(mm):26*Φ8<br/>Weight(kg):0.02</p>     | <p>59</p>  <p><b>Pin Shaft</b><br/>Code:B10×20<br/>Size(mm):20*Φ10<br/>Weight(kg):0.02</p> | <p>60</p>  <p><b>Hinge Pin</b><br/>Code:B10×48<br/>Size(mm):48*Φ10<br/>Weight(kg):0.04</p> |



## Standard Parts

|                                                                                                                                                                                |                                                                                                                                                                               |                                                                                                                                                                               |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>61</p>  <p><b>Hinge Pin</b><br/>Code: B12×40<br/>Size(mm): 40*Φ12<br/>Weight(kg): 0.04</p> | <p>62</p>  <p><b>Hinge Pin</b><br/>Code: B20×70<br/>Size(mm): 70*Φ20<br/>Weight(kg): 0.2</p> | <p>63</p>  <p><b>Ring 25</b><br/>Code: φ25<br/>Size(mm): Φ:25 H:2<br/>Weight(kg): 0.01</p> |
| <p>64</p>  <p><b>Ring 30</b><br/>Code: φ30<br/>Size(mm): Φ:30 H:2<br/>Weight(kg): 0.01</p>   | <p>65</p>  <p><b>Ring 37</b><br/>Code: φ37<br/>Size(mm): Φ:37 H:2<br/>Weight(kg): 0.01</p>  | <p>66</p>  <p><b>O ring</b><br/>Code: 69*2.65<br/>Size: 2.65*Φ69<br/>Weight(kg): 0.02</p> |